VOLUME 26 · AUTHOR INDEX

ABEYWARDENA M Y *see* MCLENNAN P L *et al*
ADAMOPOULOS S *see* LINDSAY D C *et al*
AKAI K *see* SEKIGUCHI N *et al*
AKAISHI M *see* YOSHIKAWA T *et al*
AKSNES G *see* FU L-X *et al*
ALAM S, REZKALLA S, FARKAS P, TURI Z G Deleterious cardiac effects of captopril during acute myocardial ischaemia in the dog, 232
ALISON M R *see* TIPPINS J R *et al*
ALKHULAIFI A M *see* YELLON D M *et al*
ALLEN G *see* CAMBRIDGE D *et al*
ALLEN S P *see* TADJKARIMI S *et al*
AMOORE J N Engineering and physiological approaches to the study of cardiovascular function: *correspondence*, 301
ANGELINI G D *see* HOLT C M *et al*
ANGUS C *see* MOE G W *et al*
ANLIKER M *see* BOSSHART F *et al*
ANTONIW J W *see* TIPPINS J R *et al*
ANVERSA P *see* MEGGS L G *et al*
ARITA M *see* WU B *et al*
ARMOUR J A *see* TRIVELLA M G *et al*
ARMSTRONG P W *see* MOE G W *et al*
ARNDT J O *see* KLEMENT W AND ARNDT J O
ARONSON R *see* MALHOTRA A *et al*
ARTMAN M Developmental changes in myocardial contractile responses to inotropic agents, 3
ASAYAMA J, YAMAHARA Y, TATSUMI T, MIYAZAKI H, INOUE M, OMORI I, INOUE D, NAKAGAWA M Acute effects of doxorubicin on skinned cardiac muscle fibres of guinea pigs, 371
ASHIKAWA K *see* SEKIGUCHI N *et al*
ASKENASE A D *see* CHEN G *et al*
AUCHAMPACH J A, GROVER G J, GROSS G J Blockade of ischaemic preconditioning in dogs by the novel ATP dependent potassium channel antagonist sodium 5-hydroxydecanoate, 1054
see also GROSS G J and AUCHAMPACH J A
AVKIRAN M *see* IBUKI C *et al*

BABBS C F, CREGOR M D, BADYLAK S F Histochemical demonstration of endothelial superoxide and hydrogen peroxide generation in ischaemic and reoxygenated rat tissues, 593
BACHE R J, DAI X-Z The thromboxane A2 mimetic U46619 worsens canine myocardial hypoperfusion during exercise in the presence of a coronary artery stenosis, 351
BADYLAK S F *see* BABBS C F *et al*
BAILY R *see* ZELIS R *et al*
BALASHOV S A *see* MELKUMYANTS A M *et al*
BALDWIN K M *see* WILLIAMS J H *et al*
BARDAJI A *see* CINCA J *et al*
BARNDEN L R *see* MCLENNAN P L *et al*
BARRA J G *see* CROTTOGINI A J *et al*
BECK L D *see* HOCK CE *et al*
BELCHER P R, DRAKE-HOLLAND A J, HYND J, NOBLE M I M Dispersion of coronary artery thrombi by antagonism of platelet serotonin receptor in the dog, 292
BELLAZZINI R *see* TRIVELLA M G *et al*
BEN-HAIM S A, HAYAM G, EDOUTE Y, BETTER O S Effect of hypertonicity on contractility of isolated working rat left ventricle, 379
BENJAMIN I J *see* TAN L-B *et al*
BEPPU S *see* NAKATANI S *et al*
BERALDO P S S *see* JUNQUEIRA L F *et al*
BERESEWICZ A *see* KARWATOWSKA-PROKOPCZUK E *et al*
BERGFELD G R, FORRESTER T Release of ATP from human erythrocytes in response to a brief period of hypoxia and hypercapnia, 40
BERGH C-H *see* FU L-X *et al*
BERGMANN S R *see* WEINHEIMER C J *et al*
BESSE S *see* CARRE F *et al*
BETTER O S *see* BEN-HAIM S A *et al*
BIRKELAND S, WESTBY J, HESSEVIK I, GRONG K, HEXEBERG E, LEKVEN J Compenstory subendocardial hyperkinesis in the cat is abolished during coronary insufficiency outside an acutely ischaemic region, 285
see also WESTBY J *et al*
BJERRUM P J *see* SVENDSEN J H and BJERRUM P J
BODELL P *see* WILLIAMS J H *et al*
BOHM M Improved isovolumetric relaxation in canine reperfused myocardium after beta-1 adrenergic stimulation, 273
BOLLI R *see* HEARSE D J AND BOLLI R
BOLLIGER C T *see* FOURIE P R *et al*
BOOK REVIEWS
ANTONACCIO M J, *editor* Cardiovascular pharmacology, 3rd edition, 1991, 190
BERS D M Excitation-contraction coupling and cardiac contractile force, 1991, 430
EWY G A, BRESSLER R Cardiovascular drugs and the management of heart disease, second edition, 1992, 639
FEINBERG R N, SHERER G K, AUERBACH R, *editors* The development of the vascular system (vol 14 in Issues in Biomedicine), 1991, 430
FOZZARD H A, HALSER E, JENNINGS R B, KATZ A M, MORGAN H E, *editors* The heart and cardiovascular system, 2nd edition, 1991, 720
GRACE A A, SCHOFIELD P M, PETCH M C Key facts in cardiology, 1991, 190
KULICK D L, RHIMTOOLA S Techniques and applications in interventional cardiology, 1991, 1227
LITVAK F, *editor* Coronary laser angioplasty, 1992, 559
MESSMER K, *volume editor* Progress in applied microcirculation (volume 18) Capullary functions and white cell interactions, 303
NEAL M J Medical pharmacology at a glance, 1992, 1227
NORTHOVER B J Electrical properties of mammalian tissues: an introduction, 1992, 1008
OPIE L H (consultants SWYNGHEDAUW B, TAEGTMEYER H, RUEGG J C, CARMELIET E) *The heart: physiology and metabolism*, second edition, 1991, 85
RANG H P, DALE M M Pharmacology, 2nd ed., 1991, 303
SIES H, *editor* Oxidative stress: oxidants and antioxidants, 816
SPAAN J A E Coronary blood flow, 1991, 912
SPERELAKIS N, KURIYAMA H, *editors* Ion channels of vascular smooth muscle cells and endothelial cells, 1992, 639
VOGEL S Vital circuits: on pumps, pipes and the workings of the circulatory system, 1992, 1228
WAGNER M, LAWSON T L Atlas of chest imaging: correlated anatomy with MRI and CT, 1992, 912
WARREN S B, *editor* The endothelium - and introduction to current research, 1990, 1159, 1227
WEBER P C, LEAF A, *editors* Atherosclerosis Reviews 23 Atherosclerosis: its pathogenesis and the role of cholesterol, 1991, 1007
WILCOX B R, ANDERSON R H Surgical anatomy of the heart, 1992, 816
BORST M M, DEUSSEN A, SCHRADER J S Adenosylhomocysteine hydrolase activity in human myocardium, 143
BOSSHART F, UTZINGER U, HESS O M, WYSER J, MUELLER A, SCHNEIDER J, NIEDERER P, ANLIKER M, KRAYENBUEHL H P Fluorescence spectroscopy for identification of atherosclerotic tissue, 620
BOUMAN L N *see* DUIVENVOORDEN J J *et al*
BOURON A, POTREAU D, RAYMOND G The L type calcium current in single hypertrophied cardiomyocytes isolated from the right ventricle of ferret heart, 662
BRIDLE T M *see* MCLENNAN P L *et al*
BRIL A, LAVILLE M-P, GOUT B Effects of glibenclamide on ventricular arrhythmias and cardiac function in ischaemia and reperfusion in isolated rat heart, 1069: *correspondence*, 1154
SLIVJAK M, DIMARTINO M J, FEUERSTEIN G Z, LINEE P, POYSER R H, RUFFOLO R R, SMITH E F Cardioprotective effects of carvedilol, a novel beta adrenoceptor antagonist with vasodilating properties, in anaesthetised minipigs: comparison with propranolol, 518
BRILLA C G, WEBER K T Reactive and reparative myocardial fibrosis in arterial hypertension in the rat, 671
BRIMIOULLE S *see* DE CANNIERE D *et al*
BRIMIOULLE S *see* DE CANNIERE D *et al*
BROWNE E E *see* YELLON D M *et al*
BRUNOTTE F *see* LINDSAY D C *et al*
BUCKNALL C A *see* SMITH R E A *et al*
BUKAUSKAS F F *see* DUIVENVOORDEN J J *et al*

VOLUME 26 · AUTHOR INDEX

ABEYWARDENA M Y *see* MCLENNAN P L *et al*
ADAMOPOULOS S *see* LINDSAY D C *et al*
AKAI K *see* SEKIGUCHI N *et al*
AKAISHI M *see* YOSHIKAWA T *et al*
AKSNES G *see* FU L-X *et al*
ALAM S, REZKALLA S, FARKAS P, TURI Z G Deleterious cardiac effects of captopril during acute myocardial ischaemia in the dog, 232
ALISON M R *see* TIPPINS J R *et al*
ALKHULAIFI A M *see* YELLON D M *et al*
ALLEN G *see* CAMBRIDGE D *et al*
ALLEN S P *see* TADJKARIMI S *et al*
AMOORE J N Engineering and physiological approaches to the study of cardiovascular function: *correspondence*, 301
ANGELINI G D *see* HOLT C M *et al*
ANGUS C *see* MOE G W *et al*
ANLIKER M *see* BOSSHART F *et al*
ANTONIW J W *see* TIPPINS J R *et al*
ANVERSA P *see* MEGGS L G *et al*
ARITA M *see* WU B *et al*
ARMOUR J A *see* TRIVELLA M G *et al*
ARMSTRONG P W *see* MOE G W *et al*
ARNDT J O *see* KLEMENT W AND ARNDT J O
ARONSON R *see* MALHOTRA A *et al*
ARTMAN M Developmental changes in myocardial contractile responses to inotropic agents, 3
ASAYAMA J, YAMAHARA Y, TATSUMI T, MIYAZAKI H, INOUE M, OMORI I, INOUE D, NAKAGAWA M Acute effects of doxorubicin on skinned cardiac muscle fibres of guinea pigs, 371
ASHIKAWA K *see* SEKIGUCHI N *et al*
ASKENASE A D *see* CHEN G *et al*
AUCHAMPACH J A, GROVER G J, GROSS G J Blockade of ischaemic preconditioning in dogs by the novel ATP dependent potassium channel antagonist sodium 5-hydroxydecanoate, 1054
see also GROSS G J and AUCHAMPACH J A
AVKIRAN M *see* IBUKI C *et al*

BABBS C F, CREGOR M D, BADYLAK S F Histochemical demonstration of endothelial superoxide and hydrogen peroxide generation in ischaemic and reoxygenated rat tissues, 593
BACHE R J, DAI X-Z The thromboxane A2 mimetic U46619 worsens canine myocardial hypoperfusion during exercise in the presence of a coronary artery stenosis, 351
BADYLAK S F *see* BABBS C F *et al*
BAILY R *see* ZELIS R *et al*
BALASHOV S A *see* MELKUMYANTS A M *et al*
BALDWIN K M *see* WILLIAMS J H *et al*
BARDAJI A *see* CINCA J *et al*
BARNDEN L R *see* MCLENNAN P L *et al*
BARRA J G *see* CROTTOGINI A J *et al*
BECK L D *see* HOCK CE *et al*
BELCHER P R, DRAKE-HOLLAND A J, HYND J, NOBLE M I M Dispersion of coronary artery thrombi by antagonism of platelet serotonin receptor in the dog, 292
BELLAZZINI R *see* TRIVELLA M G *et al*
BEN-HAIM S A, HAYAM G, EDOUTE Y, BETTER O S Effect of hypertonicity on contractility of isolated working rat left ventricle, 379
BENJAMIN I J *see* TAN L-B *et al*
BEPPU S *see* NAKATANI S *et al*
BERALDO P S S *see* JUNQUEIRA L F *et al*
BERESEWICZ A *see* KARWATOWSKA-PROKOPCZUK E *et al*
BERGFELD G R, FORRESTER T Release of ATP from human erythrocytes in response to a brief period of hypoxia and hypercapnia, 40
BERGH C-H *see* FU L-X *et al*
BERGMANN S R *see* WEINHEIMER C J *et al*
BESSE S *see* CARRE F *et al*
BETTER O S *see* BEN-HAIM S A *et al*
BIRKELAND S, WESTBY J, HESSEVIK I, GRONG K, HEXEBERG E, LEKVEN J Compenstory subendocardial hyperkinesis in the cat is abolished during coronary insufficiency outside an acutely ischaemic region, 285
see also WESTBY J *et al*
BJERRUM P J *see* SVENDSEN J H and BJERRUM P J
BODELL P *see* WILLIAMS J H *et al*
BOHM M Improved isovolumetric relaxation in canine reperfused myocardium after beta-1 adrenergic stimulation, 273
BOLLI R *see* HEARSE D J AND BOLLI R
BOLLIGER C T *see* FOURIE P R *et al*
BOOK REVIEWS
ANTONACCIO M J, *editor* Cardiovascular pharmacology, 3rd edition, 1991, 190
BERS D M Excitation-contraction coupling and cardiac contractile force, 1991, 430
EWY G A, BRESSLER R Cardiovascular drugs and the management of heart disease, second edition, 1992, 639
FEINBERG R N, SHERER G K, AUERBACH R, *editors* The development of the vascular system (vol 14 in Issues in Biomedicine), 1991, 430
FOZZARD H A, HALSER E, JENNINGS R B, KATZ A M, MORGAN H E, *editors* The heart and cardiovascular system, 2nd edition, 1991, 720
GRACE A A, SCHOFIELD P M, PETCH M C Key facts in cardiology, 1991, 190
KULICK D L, RHIMTOOLA S Techniques and applications in interventional cardiology, 1991, 1227
LITVAK F, *editor* Coronary laser angioplasty, 1992, 559
MESSMER K, *volume editor* Progress in applied microcirculation (volume 18) Capullary functions and white cell interactions, 303
NEAL M J Medical pharmacology at a glance, 1992, 1227
NORTHOVER B J Electrical properties of mammalian tissues: an introduction, 1992, 1008
OPIE L H (consultants SWYNGHEDAUW B, TAEGTMEYER H, RUEGG J C, CARMELIET E) *The heart: physiology and metabolism*, second edition, 1991, 85
RANG H P, DALE M M Pharmacology, 2nd ed., 1991, 303
SIES H, *editor* Oxidative stress: oxidants and antioxidants, 816
SPAAN J A E Coronary blood flow, 1991, 912
SPERELAKIS N, KURIYAMA H, *editors* Ion channels of vascular smooth muscle cells and endothelial cells, 1992, 639
VOGEL S Vital circuits: on pumps, pipes and the workings of the circulatory system, 1992, 1228
WAGNER M, LAWSON T L Atlas of chest imaging: correlated anatomy with MRI and CT, 1992, 912
WARREN S B, *editor* The endothelium - and introduction to current research, 1990, 1159, 1227
WEBER P C, LEAF A, *editors* Atherosclerosis Reviews 23 Atherosclerosis: its pathogenesis and the role of cholesterol, 1991, 1007
WILCOX B R, ANDERSON R H Surgical anatomy of the heart, 1992, 816
BORST M M, DEUSSEN A, SCHRADER J S Adenosylhomocysteine hydrolase activity in human myocardium, 143
BOSSHART F, UTZINGER U, HESS O M, WYSER J, MUELLER A, SCHNEIDER J, NIEDERER P, ANLIKER M, KRAYENBUEHL H P Fluorescence spectroscopy for identification of atherosclerotic tissue, 620
BOUMAN L N *see* DUIVENVOORDEN J J *et al*
BOURON A, POTREAU D, RAYMOND G The L type calcium current in single hypertrophied cardiomyocytes isolated from the right ventricle of ferret heart, 662
BRIDLE T M *see* MCLENNAN P L *et al*
BRIL A, LAVILLE M-P, GOUT B Effects of glibenclamide on ventricular arrhythmias and cardiac function in ischaemia and reperfusion in isolated rat heart, 1069: *correspondence*, 1154
SLIVJAK M, DIMARTINO M J, FEUERSTEIN G Z, LINEE P, POYSER R H, RUFFOLO R R, SMITH E F Cardioprotective effects of carvedilol, a novel beta adrenoceptor antagonist with vasodilating properties, in anaesthetised minipigs: comparison with propranolol, 518
BRILLA C G, WEBER K T Reactive and reparative myocardial fibrosis in arterial hypertension in the rat, 671
BRIMIOULLE S *see* DE CANNIERE D *et al*
BRIMIOULLE S *see* DE CANNIERE D *et al*
BROWNE E E *see* YELLON D M *et al*
BRUNOTTE F *see* LINDSAY D C *et al*
BUCKNALL C A *see* SMITH R E A *et al*
BUKAUSKAS F F *see* DUIVENVOORDEN J J *et al*

CALLEWAERT G Excitation-contraction coupling in mammalian cardiac cells: *short review*, 923
CAMBRIDGE D, MORGAN C R, ALLEN G Digoxin and digoxin derivative induced arrhythmias: in vitro binding and in vivo abolition of arrhythmias by digoxin immune Fab (digibind), 906
CAMICI P G *see* TRIVELLA M G *et al*
CAMM A J *see* NUNAIN S O *et al*
CAPASSO J M *see* MEGGS L G *et al*
CARABELLO B A *see* ISHIHARA K *et al*
CARMELIET E A fuzzy subsarcolemmal space for intracellular Na+ in cardiac cells: *masterclass*, 433
see also Opie L H and Carmeliet E
CARRE F, LESSARD Y, COUMEL P, OLLIVIER L, BESSE S, LECARPENTIER Y, SWYNGHEDAUW B Spontaneous arrhythmias in various models of cardiac hypertrophy and senescence of rats. A Holter monitoring study, 698
CARRENO A *see* CINCA J *et al*
CASTLE N A Differential inhibition of potassium currents in rat ventricular myocytes by capsaicin, 1137
CERGOR M D *see* BABBS C F *et al*
CHAI C-Y *see* LEE A Y-S *et al*
CHALMERS J *see* TRAVILL C M *et al*
CHAPADEIRO E *see* JUNQUEIRA L F *et al*
CHAPMAN R A *see* SULEIMAN M-S *et al*
CHARNOCK J S *see* MCLENNAN P L *et al*
CHEADLE H A *see* GROVES P H *et al*
CHEN G, ASKENASE A D, CHEN K, HOROWITZ L N, SEGAL B L The contraction of stunned myocardium: isovolumetric bulging and wasted ejection shortening in dog heart, 115
CHEN K *see* CHEN G *et al*
CHEN Y-T *see* LEE A Y-S *et al*
CHENG T O The premature beat: *correspondence*, 431
CHERIEX E C *see* LUCAS C M *et al*
CHESTER A H *see* TADJKARIMI S *et al*
CHRISTENSEN G *see* KIRKEBOEN K A *et al*
CIHAK R, KOLAR F, PELOUCH V, PROCHAZKA J, OSTADAL B, WIDIMSKY J Functional changes in the right and left ventricle during development of cardiac hypertrophy and after its regression, 845
CINCA J, WORNER F, CARRENO A, BARDAJI A, SALAS-CAUDEVILLA A, SOLER-SOLER J Reperfusion arrhythmias after chronic regional denervation of the ischaemic myocardium in pigs, 962
CLARK W A *see* TAN L-B *et al*
CLELLAND C *see* HOLT C M *et al*
CLEMSON B *see* ZELIS R *et al*
CLESHAM G, PARSAEE J, JOSEPH S, MCEWAN J R, MACDERMOT J Activation of bovine endothelial thromboxane receptors triggers release of prostacyclin but not Edrf, 513
COATS A J S *see* LINDSAY D C *et al*
COBBE S M *see* PYE M P and COBBE S M
COETZEE A R *see* FOURIE P R *et al*
COETZEE W A Regulation of ATP sensitive potassium channel of isolated guinea pig ventricular myocytes by sarcolemmal monocarboxylate transport, 1077
COHEN M C, MULLER J E Onset of acute myocardial infarction - circadian variation and triggers: *review article*, 831
COHN J N Rapid pacing heart failure: *invited correspondence*, 815
COLATSKY T J The Sicilian Gambit and antiarrhythmic drug development: *viewpoint*, 562
COLATSKY T J *see also* FOLLMER C H *et al*
COLLINS-NAKAI R L *see* LOPASCHUK G D *et al*
COLLINS P *see* LINDSAY D C *et al*
CONVERSANO A *see* WEINHEIMER C J *et al*
COOPER I C, FRY C H, WEBB-PEPLOE M M Mechanical restitution of isolated human ventricular myocardium subjected to in vivo pressure and volume overload, 978
CORONEL R, FIOLET J W, JANSE M J, VERMEULEN J T The premature beat: *correspondence*, 720
COUMEL P *see* CARRE F *et al*
CROTTOGINI A J, WILLSHAW P, BARRA J G, LASCANO E C, PICHEL R H Differential effects of left anterior descending coronary occlusion on left and right ventricular anterior wall thickening in the conscious pig, 221
CULLINAN C A *see* FOLLMER C H *et al*
CURTIS M J *see* RICHARDSON R AND CURTIS M J RIDLEY P D *et al*
CZARNOWSKA E *see* KARWATOWSKA-PROKOPCZUK E *et al*

DAI X-Z *see* BACHE R J and DAI X-Z
DALLE VACCHE M *see* TRIVELLA M G *et al*
D'ALONZO A J, DARBENZIO R B, PARHAM C S, GROVER G J Effects of intracoronary cromakalim on postischaemic contractile function and action potential duration, 1046
DARBENZIO R B *see* D'ALONZO A J *et al*
DAVIS D *see* ZELIS R *et al*
DE CANNIERE D, STEFANIDIS C, HALLEMANS R, DELCROIX M, BRIMIOULLE S, NAEIJE R Stimulus-response curves for hypoxic pulmonary vasoconstriction in piglets, 944
DE HEMPTINNE A *see* VANHEEL B AND DE HEMPTINNE A
DE WEILLE J R Modulation of ATP sensitive potassium channels: *short review*, 1017
DEBBAS N *see* NUNAIN S O *et al*
DELCROIX M *see* DE CANNIERE D *et al*
DEUSSEN A *see* BORST M M *et al*
DIMARTINO M J *see* BRIL A *et al*
DITCHEY R V, GOTO Y, LINDENFELD J Myocardial oxygen requirements during experimental cardiopulmonary resuscitation, 791
DIXON E M, KAMATH M V, MCCARTNEY N, FALLEN E L Neural regulation of heart rate variability in endurance athletes and sedentary controls, 713
DOWNEY H F Hypoxic preconditioning of ischaemic myocardium: *correspondence reply*, 557
see also SHIZUKUDA Y *et al*
DOWNEY J M *see* LIU G S *et al*
YELLON D M *et al*
DRAKE-HOLLAND A J, SITSAPESAN R, HERBACZYNSKA-CEDRO K, SEED W A, NOBLE M I M Effect of adrenaline on cardiac force-interval relationship, 496
see also BELCHER P R *et al*
DU D *see* ROSENBAUM D S *et al*
DUBOURG A Y *see* WEINHEIMER C J *et al*
DUIVENVOORDEN J J, BOUMAN L N, OPTHOF T, BUKAUSKAS F F, JONGSMA H J Effect of transmural vagal stimulation on electrotonic current spread in the rabbit sinoatrial node, 678

EDOUTE Y *see* BEN-HAIM S A *et al*
EGAS-KENNIPHAAS J M *see* PERSOON-ROTHERT M *et al*
EGHBALI M *see* YAO J and EGHBALI M
ELSNER D *see* KROMER E P *et al*

FALLEN E L *see* DIXON E M *et al*
FARKAS P *see* ALAM S *et al*
FEUERSTEIN G Z *see* BRIL A *et al*
FIEDLER V B *see* SCHAFER S *et al*
FIOLET J W *see* CORONEL R *et al*
FOEX P *see* LEONE B J *et al*
MEYER T E *et al*
FOLLMER C H, CULLINAN C A, COLATSKY T J Differential block of cardiac delayed rectifier current by class Ic antiarrhythmic drugs: evidence for open channel block and unblock, 1121
FORRESTER T *see* BERGFELD G R and FORRESTER T
FOURIE P R, COETZEE A R, BOLLIGER C T Pulmonary artery compliance: its role in right ventricular-arterial coupling, 839
FOX K A A Reperfusion injury: laboratory phenomenon or clinical reality: *clinical perspective*, 656: response to Harvey White, 661
FRANCIS S E *see* HOLT C M *et al*
FREEMAN L C, KASS R S Insensitivity of guinea pig ventricular delayed rectifier Ik to intracellular trypsin: implications for channel structure and function, 1131
FROHLICH E D *see* HORINAKA S and FROHLICH E D
FRY C H *see* COOPER I C *et al*
FU L-X, ILEBEKK A, KIRKEBEN K A, AKSNES G, WAAGSTEIN F, BERGH C-H, HOEBEKE J, LIANG Q-M, HJALMARSON A Oxygen free radical injury and Gs mediated signal transduction in the stunned porcine myocardium, 449
LIANG Q-M, WAAGSTEIN F, HOEBEKE J, SYLVEN C, JANSSON E, SOTONYI P, HJALMARSON A Increase in functional activity rather than in amount of Gi-α in failing human heart with dilated cardiomyopathy, 950
FUJIWARA H *see* TANAKA M *et al*
FUKAMACHI K *see* MITANI A *et al*
FUKUMURA F *see* MITANI A *et al*
FURUKAWA T *see* NITTA J *et al*

GADSDON P A *see* HOLT C M *et al*
GALBANI P *see* ZUCCHI R *et al*
GALINANES M, SHATTOCK M J, HEARSE D J Effects of potassium channel modulation during global ischaemia in isolated rat heart with and without cardioplegia, 1063: *correspondence*, 1156

GAMBLE J, TAYLOR P B, KENNO K A Myocardial stretch alters twitch characteristics and Ca2+ loading of sarcoplasmic reticulum in rat ventricular muscle, 865
GARAN H *see* ROSENBAUM D S *et al*
GARCIA J *see* SCHWARTZ G G *et al*
GARCIA R *see* SCHIFFRIN E L *et al*
GARRATT C *see* NUNAIN S O *et al*
GARVEY B *see* TIPPINS J R *et al*
GODIN D *see* RIBUOT C *et al*
GONZALES J, MEHTA J L, LAWSON D L, NICHOLS W W, NICOLINI F A Variable effects of human and canine polymorphonuclear leucocytes on vascular smooth muscle tone, 751
GOTO M *see* KIMURA A *et al*
GOTO Y *see* DITCHEY R V *et al*
GOUT B *see* BRIL A *et al*
GRAHAM R M *see* STEPHENS C J *et al*
GROENVELD A B J, VAN LAMBALGEN A A, VAN DEN BOS G C, NAUTA J J P, THIJS L G Metabolic vasodilatation with glucose-insulin-potassium does not change the heterogeneous distribution of coronary blood flow in the dog, 757
GRONG K *see* BIRKELAND S *et al*
WESTBY J *et al*
GROSS G J, AUCHAMPACH J A Role of ATP dependent potassium channels in myocardial ischaemia: *review article*, 1011
see also AUCHAMPACH J A *et al*
GROVER G J *see* AUCHAMPACH J A *et al*
D'ALONZO A J *et al*
GROVES P J, PENNY W J, CHEADLE H A, LEWIS M J Exogenous nitric oxide inhibits in vivo platelet adhesion following balloon angioplasty, 615
GRUNDKE M *see* WETTWER E *et al*
GWILT M, KING R C, MILNE A A, SOLCA A M Dofetilide, a new class III antiarrhythmic agent, reduces pacing induced heterogeneity of repolarisation in vivo, 1102

HABETS J *see* LUCAS C M *et al*
HAGGMARK S *see* NASLUND U *et al*
HALLEMANS R *see* DE CANNIERE D *et al*
HANDA S *see* YOSHIKAWA T *et al*
HANO O *see* YANO K *et al*
HANSEN P R, SVENDSEN J H, HOST N B, HANSEN S H, HAUNSO S Effect of 5-aminosalicylic acid on myocardial capillary permeability following ischaemia and reperfusion, 798
HANSEN S H *see* HANSEN P R *et al*
HANSON P S *see* MCKAY C R *et al*
HARADA R N, LIMM W, PIETTE L H, MCNAMARA J J Failure of mannitol to reduce myocardial infarct size in the baboon, 893
HARRISON D C The Sicilian Gambit: reasons for maintaining the present antiarrhythmic drug classification: *viewpoint*, 566
HASHIMOTO H *see* OKUMURA K *et al*
HASSINEN I *see* HOST N *et al*
HAUNSO S *see* HANSEN P R *et al*
HOST N *et al*
HAYAKAWA H *see* KOUMI S *et al*
HAYAM G *see* BEN-HAIM S A *et al*
HAYASHI S *see* HORIE M *et al*
HEARSE D Of humour, music, anger, speed, and excuses: reflections of an editorial team after one year in office: *editorial*, 1161
HEARSE D J, BOLLI R Reperfusion induced injury: manifestations, mechanisms, and clinical relevance, 101
see also Galinanes M *et al; Ibuki C et al*
HELMIUS G *see* LAGERQVIST B *et al*
HENDERSON A H, LEWIS M J, SHAH A M, SMITH J A Endothelium, endocardium, and cardiac contraction, 305
HERBACZYNSKA-CEDRO K *see* DRAKE-HOLLAND A J *et al*
HESS M L *see* KUKREJA R C and HESS M L
HESS O M *see* BOSSHART F *et al*
HESSEVIK I *see* BIRKELAND S *et al*
HEUSCH G Myocardial stunning: a role for calcium antagonists during ischaemia, 14
HEXEBERG E *see* BIRKELAND S *et al*
HIRAMATSU O *see* KIMURA A *et al*
HIRAOKA M *see* NITTA J *et al*
HIRAOKA Y, KISHIMOTO C, KUROKAWA M, OCHIAI H, SASAYAMA S Effects of polyethylene glycol conjugated superoxide dismutase on coxsackievirus B3 myocarditis in mice, 956
HIRATA M *see* SASAKI S *et al*
YANO K *et al*
HIRATA T *see* YANO K *et al*
HIROMASA S *see* LI Z-Y *et al*
HISATOME I *see* KOUMI S *et al*

HJALMARSON A *see* FU L-X *et al*
HOCK C E, BECK L D, PAPA L A Peptide leukotriene receptor antagonism in myocardial ischaemia and reperfusion, 1206
HOEBEKE J *see* FU L-X *et al*
HOLLAAR L *see* LE C T *et al*
HOLMER S R *see* KROMER E P *et al*
HOLT C M, FRANCIS S E, ROGERS S, GADSDON P A, TAYLOR T, CLELLAND C, SOYOMBO A, NEWBY A C, ANGELINI G D Intimal proliferation in an organ culture of human internal mammary artery, 1189
HORIE M, HAYASHI S, YUZUKI Y, SASAYAMA S Comparative studies of ATP sensitive potassium channels in heart and pancreatic beta cells using Vaughan-Williams class Ia antiarrhythmics, 1087
HORINAKA S, FROHLICH E D Cardiovascular mass and ventricular function after celiprolol in Wistar-Kyoto and spontaneously hypertensive rats, 396
HOROWITZ L N *see* CHEN G *et al*
HOSSEINI S *see* WILLIAMS J H *et al*
HOST N, PEUHKURINEN K, HAUNSO S, HASSINEN I Evaluation of reperfusion strategy for the globally ischaemic rat heart. Recovery of function and energy metabolism, 502
HOST N B *see* HANSEN P R *et al*
HOWARD R J *see* MOE G W *et al*
HUANG H *see* MEGGS L G *et al*
HYND J *see* BELCHER P R *et al*

IBUKI C, HEARSE D J, AVKIRAN M Rate of reflow and reperfusion induced arrhythmias: studies with dual coronary perfusion, 316
IIMURA O *see* TSUCHIDA A *et al*
IKEDA F *see* YOSHIKAWA T *et al*
ILEBEKK A *see* FU L-X *et al*
ILIODROMITIS E *see* YELLON D M *et al*
INOUE D *see* ASAYAMA J *et al*
INOUE H *see* YAMASHITA T *et al*
INOUE M *see* ASAYAMA J *et al*
ISHIHARA K, ZILE M R, TOMITA M, TANAKA R, KANAZAWA S, CARABELLO B A Left ventricular hypertrophy in a canine model of reversible pressure overload, 580
ISHIKAWA M *see* YANAGI S *et al*
ITO T *see* OKUMURA K *et al*
ITOI T *see* LOPASCHUK G D *et al*
IWAI T *see* TAMURA K *et al*

JANSE M J The premature beat, 89
see also CORONEL R *et al*
JANSE M J *see also* ROSEN M R *et al*
JANSSON E *see* FU L-X *et al*
JESUS P C *see* JUNQUEIRA L F *et al*
JETTE L *see* RIBUOT C *et al*
JIANG C *see* LINDSAY D C *et al*
JOHANSSON G *see* NASLUND U *et al*
JOHNSTON W E *see* NAKAMOTO T *et al*
JONGSMA H J *see* DUIVENVOORDEN J J *et al*
JOSEPH S *see* CLESHAM G *et al*
JUNQUEIRA L F, BERALDO P S S, CHAPADEIRO E, JESUS P C Cardiac autonomic dysfunction and neuroganglionitis in a rat model of chronic Chaga's disease, 324

KAIJSER L *see* LAGERQVIST B *et al*
KAJIYA F *see* KIMURA A *et al*
KAKIHANA M *see* WATANABE H *et al*
KAKO K J *see* TANAKA Y *et al*
KAMATH M V *see* DIXON E M *et al*
KAN M-N *see* LEE A Y-S *et al*
KANATSUKA H *see* SEKIGUCHI N *et al*
KANAZAWA S *see* ISHIHARA K *et al*
KARTAMYSHEV S P *see* MELKUMYANTS A M *et al*
KARWATOWSKA-PROKOPCZUK E, CZARNOWSKA E, BERESEWICZ A Iron availability and free radical induced injury in the isolated ischaemic/reperfused rat heart, 58
KASS R S *see* FREEMAN L C and KASS R S
KATORI R *see* KOUMI S *et al*
KATSUME H *see* NAKAMURA T *et al*
KATZEFF I E *see* NORTON G R *et al*
KAWAI C *see* TANAKA M *et al*
KENNO K A *see* GAMBLE J *et al*
KHAYUTIN V M *see* MELKUMYANTS A M *et al*
KIDA M *see* TANAKA M *et al*
KIIL F *see* KIRKEBOEN K A *et al*

KIMURA A, HIRAMATSU O, WADA Y, YADA T, YAMAMOTO T, GOTO M, OGASAWARA Y, TSUJIOKA K, KAJIYA F Atrial contractility affects phasic blood flow velocity of atrial small vessels in the dog, 1219
KIMURA K *see* TANAKA M *et al*
KING R C *see* GWILT M *et al*
KINOSHITA K *see* MITANI A *et al*
KIRKEBEN K A *see* FU L-X *et al*
KIRKEBOEN K A, NAESS P A, CHRISTENSEN G, KIIL F Importance of nitric oxide in canine femoral circulation: comparison of two NO inhibitors, 357
KIRKELS J H *see* SCHREUR J H M *et al*
KISHIMOTO C *see* HIRAOKA Y *et al*
KISSLING G Mechanical determinants of myocardial oxygen consumption with special reference to external work and efficiency, 886
KIYOSUE T *see* WU B *et al*
KLASSEN G A *see* TRIVELLA M G *et al*
KLEMENT W, ARNDT J O Adenosine does not evoke pain from venous and paravascular nociceptors in the human, 186
KLIMACHEV A N *see* MELKUMYANTS A M *et al*
KLONER R A *see* LI Y and KLONER R A
PRZYKLENK K and KLONER R A
KOBAYASHI A *see* TAWARAHARA K *et al*
KOLAR F *see* CIHAK R *et al*
KOMARU T *see* SEKIGUCHI N *et al*
KOMORI S *see* VEGH A *et al*
KONDO J *see* OKUMURA K *et al*
KONNO N *see* TANAKA Y *et al*
KOTAKE H *see* VASSALLE M *et al*
KOUMI S, SATO R, KATORI R, HISATOME I, NAGASAWA K, HAYAKAWA H Sodium channel states control binding and unbinding behaviour of antiarrhythmic drugs in cardiac myocytes from the guinea pig, 1199
KRAYENBUEHL H P *see* BOSSHART F *et al*
KROMER E P, EILSNER D, HOLMER S R, MUNTZE A, RIEGGER G A J Aortic input impedence and neurohormonal activation in patients with mild to moderate chronic congestive heart failure, 265
KU D D *see* WINN M J and KU D D
KUKREJA R C, HESS M L The oxygen free radical system: from equations through membrane-protein interactions to carciovascular injury and protection: *masterclass*, 641
KUO J-S *see* LEE A Y-S *et al*
KUO T *see* YAMASHITA T *et al*
KUPERSMITH J *see* LI Z-Y *et al*
KURATA C *see* TAWARAHARA K *et al*
KURIBAYASHI T *see* NAKAMURA T *et al*
KURISU K *see* MITANI A *et al*
KUROKAWA M *see* HIRAOKA Y *et al*
KUWABARA T *see* SASAKI S *et al*

LAB M J *see* SPENCER C I *et al*
L'ABBATE A *see* TRIVELLA M G *et al*
LAGERQVIST B, SYLVEN C, THEODORSEN E, KAIJSER L, HELMIUS G, WALDENSTROM A Adenosine induced chest pain - a comparison between intracoronary bolus injection and steady state infusion, 810
LAKATTA E G Functional implications of spontaneous sarcoplasmic reticulum Ca^{2+} release in the heart: *leading article*, 193
LANDAS S K *see* MCKAY C R *et al*
LASCANO E C *see* CROTTOGINI A J *et al*
LATCHMAN D S *see* YELLON D M *et al*
LATHROP D A *see* YANG T *et al*
LAVILLE M-P *see* BRIL A *et al*
LAWSON D L *see* GONZALES J *et al*
LE C T, HOLLAAR L, VAN DER VALK E J M, VAN DER LAARSE A Effects of glucose, Trolox-c, and glutathione disulphide on lipid peroxidation and cell death induced by oxidant stress in rat heart, 133
LECARPENTIER Y *see* CARRE F *et al*
LEE A Y-S, CHEN Y-T, KAN M-N, P'ENG F-K, CHAI C-Y, KUO J-S Consequences of opiate agonist and antagonist in myocardial ischaemia suggest a role of endogenous opioid peptides in ischaemic heart disease, 392
LEE S-C *see* SHIZUKUDA Y *et al*
LEKVEN J *see* BIRKELAND S *et al*
WESTBY J *et al*
LEONE B J, NORRIS R M, SAFWAT A, FOEX P, RYDER W A Effects of progressive myocardial ischaemia on systolic function, diastolic dysfunction, and load dependent relaxation, 422
LEONG L L L, STEPHENS C J, STURM M J, TAYLOR R R Effect of Web 2086 on myocardial infarct size and regional blood flow in the dog, 126
see also STEPHENS C J *et al*
LESSARD Y *see* CARRE F *et al*
LEWIS M J Nitric oxide and regulation of coronary vascular tone: *correspondence*, 555
see also GROVES P H *et al;* HENDERSON A H *et al;* SHAH A M *et al*
LI J Y M, NORTHOVER B J Antiarrhythmic and electrophysiological effects of amiodarone, lignocaine, and penticainide in anaesthetised rats, 1116
LI K S *see* NAKAMOTO T *et al*
LI Y, KLONER R A Cardioprotective effects of ischaemic preconditioning are not mediated by prostanoids, 226
LI Z-Y, MALDONADO C, ZEE-CHENG C, HIROMASA S, KUPERSMITH J Purkinje fibre-papillary muscle interaction in the genesis of triggered activity in a guinea pig model, 543
LIANG Q-M *see* FU L-X *et al*
LIGHTMAN S L *see* TRAVILL C M *et al*
LIMM W *see* HARADA R N *et al*
LIN C-I *see* VASSALLE M *et al*
LINDENFELD J *see* DITCHEY R V *et al*
LINDSAY D C, JIANG C, BRUNOTTE F, ADAMOPOULOS S, COATS A J S, RAJAGOPALAN B, POOLE-WILSON P A, COLLINS P Impairment of endothelium dependent responses in a rat model of chronic heart failure: effects of an exercise training protocol, 694
LINEE P *see* BRIL A *et al*
LIU G S, STANLEY A W H, DOWNEY J M Ischaemic preconditioning is not dependent on neutrophils of glycolytic substrate at reperfusion in rabbit heart, 1195: *correspondence*, 1226
LOPASCHUK G D, COLLINS-NAKAI R L, ITOI T Developmental changes in energy substrate use by the heart: *review article*, 1172
LUCAS C M, CHERIEX E C, VAN DER VEEN F H, HABETS J, VAN DER NAGEL T, PENN O C, WELLENS H J Imipramine induced heart failure in the dog: a model to study the effect of cardiac assist devices, 804
LUU T N *see* TADJKARIMI S *et al*

MCCARTNEY N *see* DIXON E M *et al*
MACDERMOT J *see* CLESHAM G *et al*
MCEWAN J R *see* CLESHAM G *et al*
MCKAY C R, LANDAS S K, HANSON P S, ROBERTSON D, WALLER B, WINNIFORD M D Histological and angiographic effects of a pulsed holmium: YAG laser in normal and atherosclerotic human coronary arteries and aorta, 994
MCLENNAN P L, BARNDEN L R, BRIDLE T M, ABEYWARDENA M Y, CHARNOCK J S Dietary fat modulation of left ventricular ejection fraction in the marmoset due to enhanced filling, 871
MCNAMARA J J *see* HARADA R N *et al*
MCNEILL J H *see* RODRIGUES B AND MCNEILL J H
MAEHARA K, MARUYAMA Y, YOSHIKATA S, TAKISHIMA T Effects of exercise stress on left ventricular end diastolic pressure-length strain relations in dogs with and without coronary stenosis, 770
MALDONADO C *see* LI Z-Y *et al*
MALHOTRA A, SIRI F M, ARONSON R Cardiac contractile proteins in hypertrophied and failing guinea pig heart, 153
MALLET R T *see* SHIZUKUDA Y *et al*
MARBER M S, YELLON D M Hypoxic preconditioning of ischaemic myocardium: *correspondence*, 557
MARIANI M *see* ZUCCHI R *et al*
MARKLUND S L *see* NASLUND U *et al*
SJOQUIST P-O and MARKLUND S L
MARUMO F *see* NITTA J *et al*
MARUYAMA Y *see* MAEHARA K *et al*
MASERI A *see* TIPPINS J R *et al*
MASSIE B M *see* SCHWARTZ G G *et al*
MATSUBARA K *see* NAKAMURA T *et al*
MATSUMOTO Y *see* YANO K *et al*
MATSUMURO A *see* NAKAMURA T *et al*
MAYUGA R D, SINGER D H Effects of intravenous amiodarone on electrical dispersion in normal and ischaemic tissues and on arrhythmia inducibility: monophasic action potential studies, 571
MEGGS L G, HUANG H, TILLOTSON J, CAPASSO J M, ANVERSA P Re-expression of α skeletal actin and regulation of α_1 adrenoceptor signalling in DOCA-salt hypertension in rats, 878
MEHTA J L *see* GONZALES J *et al*

MELKUMYANTS A M, BALASHOV S A, KLIMACHEV A N, KARTAMYSHEV S P, KHAYUTIN V M Nitric oxide does not mediate flow induced endothelium dependent arterial dilatation in the cat, 256
MEYER J, TRABER D L Nitric oxide and endotoxin shock: *correspondence*, 558
MEYER T E, FOEX P, RYDER W A Regional interaction and its effect on patterns of myocardial segmental shortening and lengthening during different models of asynchronous contraction in the dog, 476
MIKI T *see* TSUCHIDA A *et al*
MILNE A A *see* GWILT M *et al*
MITANI A Glibenclamide and cardiac function during ischaemia: *correspondence*, 1154
KINOSHITA K, FUKAMACHI K, SAKAMOTO M, KURISU K, FUKUMURA F, TSURUHARA Y, NAKASHIMA A, TOKUNAGA K Effects of diltiazem and noradrenaline on extracellular potassium changes in the globally ischaemic rat heart, 1040
MITSUOKA T *see* YANO K *et al*
MIURA I *see* YANAGI S *et al*
MIURA T *see* TSUCHIDA A *et al*
MIYATAKE K *see* NAKATANI S *et al*
MIYAZAKI H *see* ASAYAMA J *et al*
MOE G W, ANGUS C, HOWARD R J, PARKER T G, ARMSTRONG P W Evaluation of indices of left ventricular contractility and relaxation in evolving canine experimental heart failure, 362
MONCADA S *see* SMITH R E A *et al*
WRIGHT C E *et al*
MORGAN C R *see* CAMBRIDGE D *et al*
MOSHI M J, ZEITLIN I J, WAINWRIGHT C L, PARRATT J R Acid optimum kininogenases in canine myocardium and aorta, 367
MUELLER A *see* BOSSHART F *et al*
MULLER J E *see* COHEN M C AND MULLER J E
MUNTZE A *see* KROMER E P *et al*

NADEAU R *see* RIBUOT C *et al*
NAEIJE R *see* DE CANNIERE D *et al*
NAESS P A *see* KIRKEBOEN K A *et al*
NAGASAWA K *see* KOUMI S *et al*
NAKAGAWA M *see* ASAYAMA J *et al*
NAKAMURA T *et al*
SASAKI S *et al*
NAKAMOTO T, LI K S, JOHNSTON W E, SANTAMORE W P Differential effects of positive end expiratory pressure and cardiac tamponade on left-right ventricular mechanical function in the dog, 148
NAKAMURA T, MATSUMURO A, KURIBAYASHI T, MATSUBARA K, SHIMA M, SHIMOO K, KATSUME H, NAKAGAWA M Echocardiographic determination of stroke volume during rapid atrial pacing and volume loading in normal rats, 765
NAKAMURA Y *see* YOSHIKAWA T *et al*
NAKASHIMA A *see* MITANI A *et al*
NAKATA T *see* SASAKI S *et al*
NAKATANI S, BEPPU S, MIYATAKE K, NIMURA Y Left ventricular function and the relationshhip between left atrial pressure and peak early diastolic filling velocity in dog, 109
NASLUND U, HAGGMARK S, JOHANSSON G, PENNERT K, REIZ S, MARKLUND S L Effects of reperfusion and superoxide dismutase on myocardial infarct size in a closed chest pig model, 170
NAUTA J J P *see* GROENEVELD A B J *et al*
NAYLER W G Albrecht Fleckenstein (1917-1992): *appreciation*, 1007
NEWBY A C *see* HOLT C M *et al*
NICHOLS W W *see* GONZALES J *et al*
NICOLINI F A *see* GONZALES J *et al*
NIEDERER F *see* BOSSHART F *et al*
NIMURA Y *see* NAKATANI S *et al*
NITTA J, SUNAMI A, FURUKAWA T, MARUMO F, SAWANOBORI T, HIRAOKA M Combined class I antiarrhythmic agents have differential effects on tonic and use dependent block of maximum rate of depolarisation of action potentials in guinea pig cardiac muscle, 462
NOBLE M I M Engineering and physiological approaches to the study of cardiovascular function: alternative or complementary: *counterpoint*, 218
see also BELCHER P R *et al*; DRAKE-HOLLAND A J *et al*; TRAVILL C M *et al*
NORRIS R M *see* LEONE B J *et al*
NORTHOVER B J *see* LI J Y M AND NORTHOVER B J
NORTON G R, KATZEFF I E, WOODIWISS A J, ROSENDORFF C An unsaturated fat diet prevents the increased angiotensin II vascular responses in renal artery stenosis, 973
NOZAKI A *see* YAMASHITA T *et al*
NUNAIN S O, GARRATT C, PAUL V, DEBBAS N, WARD D E, CAMM A J Effect of intravenous adenosine on human atrial and ventricular repolarisation, 939

OCHIAI H *see* HIRAOKA Y *et al*
OGASAWARA Y *see* KIMURA A *et al*
OHTSUKA S *see* WATANABE H *et al*
OKUMURA K, KONDO J, SHIMIZU K, YOSHINO M, TOKI Y, HASHIMOTO H, ITO T Changes in ventricular 1, 2-diacylglycerol content in rats following monocrotaline treatment, 626
OLLIVIER L *see* CARRE F *et al*
OMORI I *see* ASAYAMA J *et al*
O'NEIL G S *see* TADJKARIMI S *et al*
OPIE L Myocardial stunning: a role for calcium antagonists during reperfusion, 20
OPIE L H Cardiac metabolism - emergence, decline, and resurgence: *masterclass*. Part I, 721 Part II, 817
CARMELIET E Introduction to the special issue on potassium channels: *editorial*, 1010
OPTHOF T *see* DUIVENVOORDEN J J *et al*
OSTADAL B *see* CIHAK R *et al*

PALMER R M J, SMITH R E A Endothelium, endocardium, and cardiac contraction: *invited commentary*, 638
see also SMITH R E A *et al*
PANG C C Y *see* TABRIZCHI R and PANG C C Y
PAOLI C *see* TRIVELLA M G *et al*
PAPA L A *see* HOCK CE *et al*
PARENT A *see* SCHIFFRIN E L *et al*
PARHAM C S *see* D'ALONZO A J *et al*
PARKER K H Engineering and physiological approaches to the study of cardiovascular function: *correspondence*, 301
PARKER T G *see* MOE G W *et al*
PARRATT J R *see* MOSHI M J *et al*
VEGH A *et al*
PARSAEE H *see* CLESHAM G *et al*
PATE P *see* TRAVILL C M *et al*
PAUL V *see* NUNAIN S O *et al*
PELAT P *see* WEINHEIMER C J *et al*
PELOSI G *see* TRIVELLA M G *et al*
PELOUCH V *see* CIHAK R *et al*
P'ENG F-K *see* LEE A Y-S *et al*
PENN O C *see* LUCAS C M *et al*
PENNERT K *see* NASLUND U *et al*
PENNY W J *see* GROVES P H *et al*
PERSOON-ROTHERT M, EGAS-KENNIPHAAS J M, VAN DER VALK-KOKSHOORN E J M, VAN DER LAARSE A Cumene hydroperoxide induced changes in calcium homeostasis in cultured neonatal rat heart cells, 706
PEUHKURINEN K *see* HOST N *et al*
PICHEL R H *see* CROTTOGINI A J *et al*
PIETTE L H *see* HARADA R N *et al*
POOLE-WILSON P A *see* LINDSAY D C *et al*
PORINELLI R *see* TRIVELLA M G *et al*
POTREAU D *see* BOURON A *et al*
POYSER R H *see* BRIL A *et al*
PREEDY V R *see* SIDDIQ T *et al*
PROCHAZKA J *see* CIHAK R *et al*
PRZYKLENK K, KLONER R A Calcium antagonists and the stunned myocardium: a role during ischaemia? A role during reperfusion *correspondence*, 82
PUGSLEY W B *see* YELLON D M *et al*
PYE M P, COBBE S M Mechanisms of ventricular arrhythmias in cardiac failure and hypertrophy: *viewpoint*, 740

RABKIN S W Effect of antiarrhythmic drugs on choline uptake in cardiac cells in culture, 67
RAJAGOPALAN B *see* LINDSAY D C *et al*
RAVENS U *see* WETTWER E *et al*
RAYMOND G *see* BOURON A *et al*
REES D D *see* WRIGHT C E *et al*
REFSUM H *see* YANG T *et al*
REIZ S *see* NASLUND U *et al*
REZKALLA S *see* ALAM S *et al*
RIBUOT C, YAMAGUCHI N, GODIN D, JETTE L, NADEAU R Intracoronary administration of saralasin: effects on cardiac arrhythmias induced by ischaemia and reperfusion in the anaesthetised dog, 968
RICHARDSON P J *see* SIDDIQ T *et al*

RICHARDSON R, CURTIS M J Eponyms, priority, and attribution: *commentary*, 1170
RIDLEY P D, YACOUB M H, CURTIS M J A modified model of global ischaemia: application to the study of syncytial mechanisms of arrhythmogenesis, 309
RIEGGER G A J *see* KROMER E P *et al*
ROBERTSON D *see* MCKAY C R *et al*
RODRIGO G C *see* SULEIMAN M-S *et al*
RODRIGUES B, MCNEILL J H The diabetic heart: metabolic causes for the development of a cardiomyopathy: *masterclass*, 913
ROGERS S *see* HOLT C M *et al*
RONCA G *see* ZUCCHI R *et al*
RONCA-TESTONI S *see* ZUCCHI R *et al*
ROSEN M R Did Wolff, Parkinson and White mind their Ps and Qs? *editorial*, 1164
JANSE M J, SCHWARTZ P J The Sicilian Gambit: a response to Drs Colatsky and Harrison: *counterpoint*, 568
ROSENBAUM D S, WILBER D J, SMITH J M, DU D, RUSKIN J N, GARAN H Local activation variability during monomorphic ventricular tachycardia in the dog, 237
ROSENDORFF C *see* NORTON G R *et al*
RUFFOLO R R *see* BRIL A *et al*
RUIGROK T J C *see* SCHREUR J H M *et al*
RUSKIN J N *see* ROSENBAUM D S *et al*
RYDER W A *see* LEONE B J *et al*
REYER T E *et al*

SAFWAT A *see* LEONE B J *et al*
SAKAMOTO M *see* MITANI A *et al*
SALAS-CAUDEVILLA A *see* CINCA J *et al*
SANTAMORE W P *see* NAKAMOTO T *et al*
SASAKI S, KUWABARA T, YOSHITOMI T, YONEDA Y, TAKENAKA K, TAKESAKO T, TANAKA M, HIRATA M, TANABE S, NAKATA T, TAKEDA K, NAKAGAWA M Decreased hypothalamic and medullary Gaba turnover in spontaneously hypertensive rats, 261
SASAYAMA S *see* HIRAOKA Y *et al*
HORIE M *et al*
SASSEN L M A *see* TEN CATE F J *et al*
SATO K *see* SEKIGUCHI N *et al*
SATO R *see* KOUMI S *et al*
SATO T *see* WU B *et al*
SAWANOBORI T *see* NITTA J *et al*
SCHAEFER S *see* SCHWARTZ G G *et al*
SCHAFER S, FIEDLER V B, THAMER V Afterload dependent prolongation of left ventricular relaxation: importance of asynchrony, 631
SCHIFFRIN E L, PARENT A, ST LOUIS J, TREMBLAY J, GARCIA R, THIBAULT G Vascular atrial natriuretic factor receptors in spontaneously hypertensive rats, 857
SCHNEIDER J *see* BOSSHART F *et al*
SCHRADER J *see* BORST M M *et al*
SCHREUR J H M, KIRKELS J H, VAN ECHTELD C J A, RUIGROK T J C Postischaemic metabolic and functional recovery of rat heart after transient reperfusion with various low Ca^{2+} concentrations, 687
SCHWARTZ G G, SCHAEFER S, TROCHA S D, GARCIA J, STEINMAN S, MASSIE B M, WEINER M W Effect of supranormal coronary blood flow on energy metabolism and systolic function of porcine left ventricle, 1001
SCHWARTZ P J *see* ROSEN M R *et al*
SCHYNS C J *see* TADJKARIMI S *et al*
SEED W A *see* DRAKE-HOLLAND A J *et al*
SPENCER C I *et al*
SEGAL B L *see* CHEN G *et al*
SEKIGUCHI N, KANAISUKA H, KOMARU T, AKAI K, SATO K, WANG Y, SUGI M, ASHIKAWA K, TAKISHIMA T Effects of α and β adrenergic blockade on coronary arterial microvessels in the beating canine heart, 415
SHAH A M, SHATTOCK M J, LEWIS M J Action potential duration and endocardial modulation of myocardial contraction in the ferret, 376
see also HENDERSON A H *et al*
SHATTOCK M J Channel "selectivity" and evolution. Has evolutionary pressure and natural selection provided the ATP sensitive potassium channel in the myocardium as an endogenous protection against ischaemic heart disease: *commentary*, 1153
see also GALINANES M *et al*; SHAH A M *et al*
SHERWOOD R A *see* SIDDIQ T *et al*
SHIBATA Y *see* TANAKA M *et al*
SHIMA M *see* NAKAMURA T *et al*
SHIMAMOTO K *see* TSUCHIDA A *et al*
SHIMIZU K *see* OKUMURA K *et al*
SHIMOO K *see* NAKAMURA T *et al*
SHIZUKUDA Y, MALLET R T, LEE S-C, DOWNEY H F Hypoxic preconditioning of ischaemic canine myocardium, 534
SIDDIQ T, RICHARDSON P J, SHERWOOD R A, PREEDY V R Protein synthesis in pulmonary, cardiac, and skeletal muscle in acute hypertension induced by aortic constriction in the rat, 72
SILVERMAN P R *see* TEN CATE F J *et al*
SINGER D H *see* MAYUGA R D and SINGER D H
SIRI F M *see* MALHOTRA A *et al*
SITSAPESAN R *see* DRAKE-HOLLAND A J *et al*
SJOQUIST P-O, MARKLUND S L Endothelium bound extracellular superoxide dismutase type C reduces damage in reperfused ischaemic rat hearts, 347
SLIVJAK M *see* BRIL A *et al*
SMITH E F *see* BRIL A *et al*
SMITH J A *see* HENDERSON A H *et al*
SMITH J M *see* ROSENBAUM D S *et al*
SMITH R E A, PALMER R M J, BUCKNALL C A, MONCADA S Role of nitric oxide synthesis in the regulation of coronary vascular tone in the isoalted perfused rabbit heart, 508
see also PALMER R M J and SMITH R E A
SOLCA A M *see* GWILT M *et al*
SOLER-SOLER J *see* CINCA J *et al*
SONG G *see* TRAVILL C M *et al*
SOTONYI P *see* FU L-X *et al*
SOYOMBO A *see* HOLT C M *et al*
SPENCER C I, LAB M J, SEED W A Mechanical restitution during alternans in guinea pig papillary muscles, 779
ST LOUIS J *see* SCHIFFRIN E L *et al*
STANLEY A W H *see* LIU G S *et al*
STEFANIDIS C *see* DE CANNIERE D *et al*
STEINMAN S *see* SCHWARTZ G G *et al*
STEPHENS C J, GRAHAM R M, YADAVA O P, LEONG L L L, STURM M J, TAYLOR R R Plasma platelet activating factor degradation and serum lipids after coronary bypas surgery, 25
see also LEONG L L L *et al*
STURM M J *see* LEONG L L L *et al*
STEPHENS C J *et al*
SUGI M *see* SEKIGUCHI N *et al*
SUGIMOTO T *see* YAMASHITA T *et al*
SUGISHITA Y *see* WATANABE H *et al*
SULEIMAN M-S, RODRIGO G C, CHAPMAN R A Interdependence of intracellular taurine and sodium in guinea pig heart, 897
SUNAMI A *see* NITTA J *et al*
SURAWICZ B Role of potassium channels in cycle length dependent regulation of action potential duration in mammalian cardiac Purkinje and ventricular muscle fibres: *review article*, 1021
SUTTON R *see* TRAVILL C M *et al*
SUZUKA H *see* TANAKA M *et al*
SVENDSEN J H, BJERRUM P J Effects of exogenous oxygen derived free radicals on myocardial capillary permeability, vascular tone, and incidence of ventricular arrhythmias in the canine heart, 1181
see also HANSEN P R *et al*
SWYNGHEDAUW B *see* CARRE F *et al*
SYLVEN C *see* FU L-X *et al*
LAGERQVIST B *et al*
SZEKERES L *see* VEGH A *et al*

TABRIZCHI R, PANG C C Y Effects of drugs on body venous tone, as reflected by mean circulatory filling pressure: *short review*, 443
TADDEI L *see* TRIVELLA M G *et al*
TADJKARIMI S, O'NEIL G S, LUU T N, ALLEN S P, SCHYNS C J, CHESTER A H, YACOUB M H Comparison of cyclic GMP in human internal mammary artery and saphenous vein: implications for coronary artery bypass graft patency, 297
TAGUCHI T *see* TAWARAHARA K *et al*
TAKEDA K *see* SASAKI S *et al*
TAKEDA T *see* YANAGI S *et al*
TAKENAKA K *see* SASAKI S *et al*
TAKESAKO T *see* SASAKI S *et al*
TAKEUCHI K *see* YANAGI S *et al*
TAKISHIMA T *see* MAEHARA K *et al*
SEKIGUCHI N *et al*
TAMURA K, YOSHIDA S, IWAI T, WATANABE I Effects of isoprenaline and ouabain on cytosolic calcium and cell motion in single rat cardiomyocytes, 179
TAN L-B, BENJAMIN I J, CLARK W A β Adrenergic receptor desensitisation may serve a cardioprotective role, 608
TANABE S *see* SASAKI S *et al*

Tanaka M, Fujiwara H, Shibata Y, Kida M, Suzuka H, Kimura K, Kawai C Effects of chronic oral administration of nifedipine and diltiazem on occlusive thrombus of small coronary arteries in (nzwxbxsb)f1 male mice, 586
see also Sasaki S *et al*
Tanaka R *see* Ishihara K *et al*
Tanaka Y, Konno N, Kako K J Mitochondrial dysfunction observed in situ in cardiomyocytes of rats in experimental diabetes, 409
Tande P M *see* Yang T *et al*
Tatsumi T *see* Asayama J *et al*
Tawarahara K, Kurata C, Taguchi T, Kobayashi A, Yamazaki N Augmentation of beta adrenergic receptors in cardiomyopathic hamsters (Bio 14.6) with heart failure, 526
Taylor P B *see* Gamble J *et al*
Taylor R R *see* Leong L L L *et al*
Stephens C J *et al*
Taylor T *see* Holt C M *et al*
Ten Cate F J, Silverman P R, Sassen L M A, Verdouw P D Can myocardial contrast echo determine coronary flow reserve? 32
Thamer V *see* Schafer S *et al*
Theodorsen E *see* Lagerqvist B *et al*
Thibault G *see* Schiffrin E L *et al*
Thijs L G *see* Groeneveld A B J *et al*
Tillotson J *see* Meggs L G *et al*
Tippins J R, Antoniw J W, Alison M R, Garvey B, Maseri A Web 2086 inhibits neutrophil dependent increases in coronary resistance in blood perfused rabbit heart, 162
Toeniskoetter P D *see* Weinheimer C J *et al*
Toki Y *see* Okumura K *et al*
Tokunaga K *see* Mitani A *et al*
Tomita M *see* Ishihara K *et al*
Traber D L *see* Meyer J and Traber D L
Tran H *see* Williams J H *et al*
Travill C M, Williams T D M, Pate P, Song G, Chalmers J, Lightman S L, Sutton R, Noble M I M Haemodynamic and neurohumoral response in heart failure produced by rapid ventricular pacing, 783
Tremblay J *see* Schiffrin E L *et al*
Trivella M G, Armour J A, Dalle Vacche M, Paoli C, Porinelli R, Bellazzini R, Pelosi G, Camici P G, Taddei L, Klassen G A, L'Abbate A Regional myocardial deoxyglucose uptake following electrical stimulation of canine efferent sympathetic cardiopulmonary nerves, 330
Trocha S D *see* Schwartz G G *et al*
Tsuchida A, Miura T, Miki T, Shimamoto K, Iimura O Role of adenosine receptor activation in myocardial infarct size limitation by ischaemic preconditioning, 456
Tsujioka K *see* Kimura A *et al*
Tsuruhara Y *see* Mitani A *et al*
Turi Z G *see* Alam S *et al*

Usui M *see* Yamashita T *et al*
Utzinger U *see* Bosshart F *et al*

Van Den Bos G C *see* Groeneveld A B J *et al*
Van Der Laarse A *see* Le C T *et al*
Persoon-Rothert M *et al*
Van Der Nagel T *see* Lucas C M *et al*
Van Der Valk E J M *see* Le C T *et al*
Van Der Valk-Kokshoorn E J M *see* Persoon-Rothert M *et al*
Van Der Veen F H *see* Lucas C M *et al*
Van Echteld C J A *see* Schreur J H M *et al*
Van Ginneken A C G *see* Veldkamp M W and Van Ginneken A C G
Van Lambalgen A A *see* Groeneveld A B J *et al*
Van Winkle D M *see* Yellon D M *et al*
Vanheel B, De Hemptinne A Influence of K_{ATP} channel modulation on net potassium efflux from ischaemic mammalian cardiac tissue, 1030
Vassalle M, Kotake H, Lin C-I Pacemaker current, membrane resistance, and K^+ in sheep cardiac Purkinje fibres, 383
Vegh A, Komori S, Szekeres L, Parratt J R Antiarrhythmic effects of preconditioning in anaesthetised dogs and rats, 487
Veldkamp M W, Van Ginneken A C G: 2, 4-dinitrophenol induced outward current: *correspondence*, 1157
Verdouw P D *see* Ten Cate F J *et al*
Vermeulen J T *see* Coronel R *et al*

Waagstein F *see* Fu L-X *et al*
Wada Y *see* Kimura A *et al*
Wainwright C L *see* Moshi M J *et al*
Waldenstrom A *see* Lagerqvist B *et al*
Walker D M, Yellon D M Ischaemic preconditioning: from mechanisms to exploitation: *short review*, 734
Waller B *see* Mckay C R *et al*
Wang Y *see* Sekiguchi N *et al*
Ward D E *see* Nunain S O *et al*
Watanabe H, Ohtsuka S, Kakihana M, Sugishita Y Decreased aortic compliance aggravates subendocardial ischaemia in dogs with stenosed coronary artery, 1212
Watanabe I *see* Tamura K *et al*
Webb-Peploe M M *see* Cgoper I C *et al*
Weber K T *see* Brilla C G and Weber K T
Weiner M W *see* Schwartz G G *et al*
Weinheimer C J, Toeniskoetter P D, Conversano A, Pelat P, Dubourg A Y, Bergmann S R Pretreatment with buflomedil enhances ventricular function by reducing the dysfunctional area after transient coronary artery occlusion, 470
Wellens H J *see* Lucas C M *et al*
Werns S W Neutrophils and preconditioning: *correspondence*, 1226
Westby J, Birkeland S, Lekven J, Grong K Transmural heterogeneity of postjunctional α_2 adrenergic coronary vasoconstriction in hypoperfused cat left ventricle, 279
see also Birkeland S *et al*
Wettwer E, Grundke M, Ravens U Differential effects of the new class Iii antiarrhythmic agents almokalant, E-4031 and D-sotalol, and of quinidine, on delayed rectifier currents in guinea pig ventricular myocytes, 1145: correction, 1229
White H D Reperfusion injury - a reply to Keith Fox: *counterpoint*, 660
Widimsky J *see* Cihak R *et al*
Wilber D J *see* Rosenbaum D S *et al*
Wilde A A M K_{ATP} channel opening and cardioprotection: *correspondence*, 1156
Williams F M *see* Yellon D M *et al*
Williams J H, Bodell P, Hosseini S, Tran H, Baldwin K M Haemodynamic sequelae of pulmonary fibrosis following intratracheal bleomycin in rats, 401
Williams T D M *see* Travill C M *et al*
Williams T J *see* Yellon D M *et al*
Willshaw P *see* Crottogini A J *et al*
Winn M J, Ku D D Effects of regional ischaemia, with or without reperfusion, on endothelium dependent coronary relaxation in the dog, 250
Winniford M D *see* Mckay C R *et al*
Woodiwiss A J *see* Norton G R *et al*
Worner F *see* Cinca J *et al*
Wright C E, Rees D D, Moncada S Protective and pathological roles of nitric oxide in endotoxin shock, 48
Wright G Engineering and physiological approaches to the study of cardiovascular function: science and pseudoscience: *viewpoint*, 215: *correspondence*, 301
Wu B, Sato T, Kiyosue T, Arita M Blockade of 2, 4-dinitrophenol induced ATP sensitive potassium current in guinea pig ventricular myocytes by class I antiarrhythmic drugs, 1095: *correspondence*, 1157
Wyser J *see* Bosshart F *et al*

Yacoub M H *see* Ridley P D *et al* Tadjkarimi S *et al*
Yada T *see* Kimura A *et al*
Yadava O P *see* Stephens C J *et al*
Yamaguchi N *see* Ribuot C *et al*
Yamahara Y *see* Asayama J *et al*
Yamamoto T *see* Kimura A *et al*
Yamashita T, Inoue H, Nozaki A, Kuo T, Usui M, Sugimoto T Role of anisotropy in determining the selective action of antiarrhythmics in atrial flutter in the dog, 244
Yamazaki N *see* Tawarahara K *et al*
Yanagi S, Takeuchi K, Takeda T, Ishikawa M, Miura I Effects of adenosine on cardiac performance and phosphate compounds in microembolised guinea pig hearts, 851
Yang T, Tande P M, Lathrop D A, Refsum H Class III antiarrhythmic action by potassium channel blockade: dofetilide attenuates hypoxia induced electromechanical changes, 1109
Yano K, Hano O, Hirata T, Matsumoto Y, Hirata M, Mitsuoka T Effect of left ventricular systolic pressure increase on ventricular arrhythmogenicity in old canine myocardial infarction, 988
Yao J, Eghbali M Decreased collagen mrna and regression of cardiac fibrosis in the ventricular myocardium of the tight skin mouse following thyroid hormone treatment, 603

YELLON D M, ALKHULAIFI A M, BROWNE E E, PUGSLEY W B Ischaemic preconditioning limits infarct size in the rat heart, 983
ILIODROMITIS E, LATCHMAN D S, VAN WINKLE D M, DOWNEY J M, WILLIAMS F M, WILLIAMS T J Whole body heat stress fails to limit infarct size in the reperfused rabbit heart, 342
see also MARBER M S AND YELLON D M; WALKER D M and YELLON D M
YONEDA Y *see* SASAKI S *et al*
YOSHIDA S *see* TAMURA K *et al*
YOSHIKATA S *see* MAEHARA K *et al*
YOSHIKAWA T, AKAISHI M, IKEDA F, HANDA S, NAKAMURA Y Postischaemic hypercontraction is enhanced in ischaemically injured canine myocardium, 337
YOSHINO M *see* OKUMURA K *et al*
YOSHITOMI T *see* SASAKI S *et al*
YU G *see* ZUCCHI R *et al*
YUZUKI Y *see* HORIE M *et al*

ZEE-CHENG C *see* LI Z-Y *et al*
ZEITLIN I J *see* MOSHI M J *et al*
ZELIS R, CLEMSON B, BAILY R, DAVIS D Regulation of tissue noradrenaline in the rat myocardial infarction model of chronic heart failure, 933
ZILE M R *see* ISHIHARA K *et al*
ZUCCHI R, RONCA-TESTONI S, GALBANI P, YU G, MARIANI M, RONCA G Cardiac A2 adenosine receptors - influence of ischaemia, 549

VOLUME 26 · SUBJECT INDEX

Action potential duration
  effects of intracoronary cromakalim, 1046
  and endocardial modulation of myocardial contraction, ferret, 376
  role of potassium channels, cardiac Purkinje and ventricular muscle fibres, 1021
Adenosine
  does not evoke pain from venous and paravascular nociceptors, 186
  effect on cardiac performance and phosphate compounds in microembolised guinea pig hearts, 851
  induced chest pain, intracoronary bolus injection and steady state infusion compared, 810
  intravenous, effect on human atrial and ventricular repolarisation, 939
  receptor activation, role in myocardial infarct size limitation by ischaemic preconditioning, 456
Adenosine triphosphate
  dependent potassium channel
  antagonist, sodium 5-hydroxydecanoate, in blockade of ischaemic preconditioning, dogs, 1054
  role in myocardial ischaemia: *review article*, 1011
  modulation of potassium channels, influence on net potassium efflux from ischaemic mammalian cardiac tissue, 1030
  release from erythrocytes in response to hypoxia/hypercapnia, 40
  sensitive potassium channel
  dofetilide attenuates hypoxia induced electromechanical changes, 1109
  in heart and pancreatic beta cells, comparative studies using Vaughan-Williams class Ia antiarrhythmics, 1087
  modulation: *short review*, 1017
  in the myocardium, evolution, and ischaemic heart disease: *commentary*, 1153
  opening
  and 2, 4-dinitrophenol induced outward current: *correspondence*, 1157
  and cardioprotection: *correspondence*, 1156
  ventricular myocytes, regulation by sarcolemmal monocarboxylate transport, guinea pig, 1077
  sensitive potassium current, 2, 4-dinitrophenol induced, blockade in ventricular myocytes by class I antiarrhythmic drugs, guinea pig, 1095
Adrenaline, effect on cardiac force-interval relationship, 496
Adrenergic alpha-2 vasoconstriction, postjunctional, transmural heterogeneity, hypoperfused cat left ventricle, 279
Adrenergic blockade, alpha and beta, effects on coronary arterial microvessels, beating canine heart, 415
Adrenergic stimulation, beta-1, improved isovolumetric relaxation in canine reperfused myocardium after, 273
Afterload dependent prolongation of left ventricular relaxation, importance of asynchrony, 631
Almokalant, differential effects on delayed rectifier current in ventricular myocytes, guinea pig, 1145: correction, 1229
Alpha-1 adrenoceptor signalling in DOCA-salt hypertension, rat, 878
Alternans, mechanical restitution during, papillary muscles, guinea pig, 779
5-Aminosalicylic acid, effect on myocardial capillary permeability following ischaemia and reperfusion, 798
Amiodarone
  antiarrhythmic and electrophysiological effects, anaesthetised rats, 1116
  intravenous, effects on electrical dispersion in normal and ischaemic tissues and on arrhythmia inducibility, 571
Angiotensin II vascular responses, in renal artery stenosis, unsaturated fat diet preventing, 973
Anisotropy, role in determining selective action of antiarrhythmics in atrial flutter, dog, 244
Antiarrhythmic agents
  in atrial flutter, selective action, anisotropy, dog, 244
  class I
  in blockade of 2, 4-dinitrophenol induced ATP sensitive potassium current in ventricular myocytes, guinea pig, 1095
  combined, differential effecs on tonic and use dependent block of maximum rate of depolarisation of action potentials in guinea pig cardiac muscle, 462
  class Ic, differential block on cardiac delayed rectifier current, 1121
  class III
  differential effects on delayed rectifier currents in ventricular myocytes, guinea pig, 1145: correction, 1229
  new, *see* Dofetilide
  classification, Sicilian Gambit: *editorial*, 561
  development, and the Sicilian Gambit: *viewpoint*, 562
  effect on choline uptake, cardiac cells in culture, 67
  present classification, reasons for maintaining, and the Sicilian Gambit: *viewpoint*, 566
  sodium channel states control blocking behaviour, 1199
  Vaughan-Williams class Ia, in comparative studies of ATP sensitive potassium channels in heart and pancreatic beta cells, 1087
Antiarrhythmic effects
  and electrophysiological effects of amiodarone, lignocaine, and penticainide, anaesthetised rats, 1116
  of preconditioning in anaesthetised dogs and rats, 487
Aorta, acid optimum kininogenases, dog, 367
Aortic compliance, decreased, aggravates subendocardial ischaemia in dogs with stenosed coronary artery, 1212
Aortic constriction
  acute hypertension-induced, protein synthesis in muscles, rat, 72
  protein synthesis during, rat, 72
Aortic input impedence, and neurohormonal activation, in mild to moderate chronic congestive heart failure, 265
Arrhythmias
  spontaneous, in experimental cardiac hypertrophy and senescence, rats, Holter monitoring study, 698
  ventricular, effects of exogenous oxygen derived free radicals, dog, 1181
Arrhythmogenesis, syncytial mechanisms, use of modified model of global ischaemia, 309
Arteriosclerosis, decreased aortic compliance, dogs, 1212
Asynchrony, left ventricular, and afterload, 631
Atherosclerotic tissue, fluorescence spectroscopy for identification, 620
Athletes, endurance, neural regulation of heart rate variability, 713
Atrial contractility affects phasic blood flow velocity of atrial small vessels, dog, 1219
Atrial flutter, selective action of antiarrhythmics, anisotropy, dog, 244
Atrial natriuretic factor receptors, vascular, in spontaneously hypertensive rats, 857
Attribution
  eponyms, and priority: *commentary*, 1170
  incorrect, and the Wolff-Parkinson-White syndrome: *editorial*, 1164

Balloon angioplasty, exogenous nitric oxide inhibits in vivo platelet adhesion following, 615
Beta adrenergic receptors
  augmentation, in cardiomyopathic hamsters (BIO 14.6) with heart failure, 526
  desensitisation may serve a cardioprotective role, 608
Bleomycin, intratracheal, and haemodynamic sequelae of pulmonary fibrosis, rats, 401
Buflomedil pretreatment enhances ventricular function, 470

Calcium
  release from skinned cardiac muscle fibres, guinea pigs, 371
  Ca^{2+}, transient reperfusion with various low concentrations, after ischaemia, 687
Calcium, changes in heart cells, cumene hydroperoxide induced, 706
Calcium antagonists
  possible role during ischaemia, and myocardial stunning, 14: *correspondence*, 82
  possible role during reperfusion, and myocardial stunning, 20
Calcium current, L type, in single hypertrophied cardiomyocytes, right ventricular, ferret heart, 662
Capillary permeability, ventricular, effects of exogenous oxygen derived free radicals, dog, 1181
Capsaicin, in differential inhibition of potassium currents in ventricular myocytes, rat, 1137
Captopril, deleterious cardiac effects during acute myocardial ischaemia, dog, 232
Cardiac
  A2 adenosine receptors, influence of ischaemia, 549

cells, mammalian, excitation-contraction coupling: *short review*, 923
contractile proteins, in hypertrophied and failing guinea pig heart, 153
contraction, endocardium, and endothelium, 305: *invited commentary*, 638
fibrosis, regression, and thyroid hormone, 603
hypertrophy, experimental, and spontaneous arrhythmias, rat, 698
metabolism, emergence, decline, and resurgence: *masterclass*. Part I, 721. Part II, 817
Cardiac myocytes, *see* Myocytes, cardiac
Cardiomyopathy
augmentation of beta adrenergic receptors, hamsters, 526
dilated, increase in functional activity of Gi-alpha protein, 950
metabolic causes for development, diabetic heart: *masterclass*, 913
Cardioplegia, effects of potassium channel modulation during global ischaemia, rat, 1063
Cardioprotection, and ATP potassium channel opening: *correspondence*, 1156
Cardioprotective effects of ischaemic preconditioning are not mediated by prostanoids, 226
Cardioprotective role of a adrenergic receptor desensitisation, 608
Cardiopulmonary resuscitation, experimental, myocardial oxygen requirements during, 791
Cardiovascular function, engineering and physiological approaches to study
alternative or complementary: *counterpoint*, 218: *correspondence*, 301
science and pseudoscience: *viewpoint*, 215: *correspondence*, 301
Carvedilol, cardioprotective effects, comparison with propranolol, 519
Celiprolol, effect on cardiovascular mass and ventricular function, rats, 396
Chaga's disease, cardiac autonomic dysfunction and neuroganglionitis, rat model, 324
Chest pain, adenosine induced, intracoronary bolus injection and steady state infusion compared, 810
Choline, in cardiac myocytes, and antiarrhythmic drugs, 67
Compensatory subendocardial hyperkinesis, abolished during coronary insufficiency outside an acutely ischaemic region, cat, 285
Congestive heart failure, chronic, mild to moderate, aortic input impedence and neurohormonal activation, 265
Contractile response, myocardial, to inotropic agents, developmental changes, 3
Contractility, left ventricle
effect of hypertonicity, rat, 379
and relaxation, evaluation in evolving canine experimental heart failure, 362
Contraction
myocardial, action potential duration and endocardial modulation, ferret, 376
patterns, and myocardial regional interaction, 476
Coronary arterial microvessels, effects of and α adrenergic blockade, beating canine heart, 415
Coronary artery disease, decreased aortic compliance, dogs, 1212
Coronary artery thrombi, dispersion by antagonism of platelet serotonin receptor, dog, 292
Coronary blood flow
glucose-insulin-potassium does not change heterogeneous distribution, dog, 757
supranormal, effect on energy metabolism and systolic function of porcine left ventricle, 1001
Coronary bypass surgery, plasma platelet activating factor degradation and serum lipids after, 25
Coronary flow reserve, myocardial contrast echocardiography to determine, 32
Coronary insufficiency, compensatory subendocardial hyperkinesis is abolished during, cat, 285
Coronary occlusion, left anterior descending, differential effects on left and right ventricular anterior wall thickening, 221
Coronary vascular tone
regulation, and nitric oxide: *correspondence*, 555
role of nitric oxide synthesis in regulation, isolated perfused rabbit heart, 508
Correction, 1229
Coxsackievirus B3 myocarditis, effects of polyethylene glycol conjugated superoxide dismutase, mice, 956
Cromakalim
effects on action potential duration and endocardial modulation of myocardial contraction, ferret, 376
intracoronary, effects on postischaemic contractile function and action potential duration, 1046
Cumene hydroperoxide
induced changes in calcium homeostasis in cultured neonatal rat heart cells, 706
induced lipid peroxidation, effect of glucose, Trolox-C, and glutathione disulphide, rat, 133
Cyclic GMP, comparison in human internal mammary artery and saphenous vein, implications for coronary artery bypass graft patency, 297
Cytosolic calcium, and cell motion, effects of isoprenaline and ouabain, rat, 179

D-sotalol, differential effects on delayed rectifier current in ventricular myocytes, guinea pig, 1145: correction, 1229
Delayed rectifier current
differential block by class Ic antiarrhythmic drugs, 1121
insensitivity to intracellular trypsin, guinea pig, 1131
Denervation, chronic regional, ischaemic myocardium, reperfusion arrhythmias, pigs, 962
Deoxyglucose, regional myocardial uptake following electrical stimulation of efferent sympathetic cardiopulmonary nerves, dog, 330
Diabetes, effects on cardiomyocytes, particularly mitochondrial dysfunction, rats, 409
Diabetic heart, metabolic causes for a cardiomyopathy development: *masterclass*, 913
1,2-Diacylglycerol, ventricular content, changes following monocrotaline treatment, rats, 626
Diastolic dysfunction, effects of progressive myocardial ischaemia, 422
Diastolic filling, early, and left atrial pressure and left ventricular function, 109
Diastolic length alters myocardial calcium loading, rat, 865
Digibind and digitalis glycoside arrhythmias, 906
Digoxin, and digoxin derivative induced arrhythmias, 906
Diltiazem
and nifedipine, oral, effects on coronary artery thrombus, (NZWxBXSB)F1 male mice, 586
noradrenaline, and extracellular potassium changes, ischaemic rat heart, 1040
2,4-Dinitrophenol
induced ATP sensitive potassium current, blockade in ventricular myocytes by class I antiarrhythmic drugs, guinea pig, 1095
induced outward current, and ATP sensitive potassium channel opening: *correspondence*, 1157
Dofetilide
attenuates hypoxia induced electromechanical changes, 1109
reduces pacing induced heterogeneity of repolarisation in vivo, dog, 1102
Doxorubicin, acute effects on skinned cardiac muscle fibres, guinea pigs, 371
Drugs, effects on body venous tone, as reflected by mean circulatory filling pressure: *short review*, 443

E-4031, differential effects on delayed rectifier current in ventricular myocytes, guinea pig, 1145: correction, 1229
Echocardiographic determination of stroke volume during rapid atrial pacing and volume loading, rats, 765
Editorial
Did Wolff, Parkinson and White mind their Ps and Qs?, 1164
Of humour, music, anger, speed, and excuses: reflections of an editorial team after one year in office, 1161
Efferent sympathetic cardiopulmonary nerves, regional myocardial deoxyglucose uptake following electrical stimulation, dog, 330
Electrophysiological and antiarrhythmic effects of amiodarone, lignocaine, and penticainide, anaesthetised rats, 1116
Encainide, flecainide and recainam compared, for effects on cardiac delayed rectifier current, 1121
Endocardium, endothelium, and cardiac contraction, 305: *invited commentary*, 638
Endothelial superoxide and hydrogen peroxide generation, in ischaemic and reoxygenated rat tissues, 593
Endothelium
bound extracellular superoxide dismutase type C, reduces damage in reperfused ischaemic rat hearts, 347
dependent arterial dilatation, flow induced, nitric oxide does not mediate flow, cat, 256
dependent coronary relaxation, effect of regional ischaemia, dog, 250

dependent responses, impairment, chronic heart failure, rat model, effects of exercise, 694
derived relaxing factor, release from endothelial cells, bovine, 513
endocardium, and cardiac contraction, 305: *invited commentary*, 638
Endotoxin shock, and nitric oxide, 48: *correspondence*, 558
Energy metabolism, effect of supranormal coronary blood flow, porcine left ventricle, 1001
Energy substrate use by the heart, developmental changes: *review article*, 1172
Engineering and physiological approaches to study of cardiovascular function
alternative or complementary: *counterpoint*, 218: *correspondence*, 301
science and pseudoscience: *viewpoint* 215: *correspondence*, 301
Eponyms, priority, and attribution: *commentary*, 1170
Excitation-contraction coupling in mammalian cardiac cells: *short review*, 923
Exercise
effect on impairment of endothelium dependent responses in chronic heart failure, rat model, 694
effects on left ventricular end diastolic pressure-length strain relations, dogs, 770

Fat, dietary, modulation of left ventricular ejection fraction due to enhanced filling, marmoset, 871
Femoral circulation, and nitric oxide inhibitors, dog, 357
Flecainide, encainide and recainam compared, for effects on cardiac delayed rectifier current, 1121
Fleckenstein, Albrecht (1917-1992), an appreciation, 1007
Fluorescence spectroscopy, for identification of atherosclerotic tissue, 620
Force-interval relationship, cardiac, effect of adrenaline, 496
Formyl-methionyl-leucyl-phenylalanine, inhibited by WEB, 2086, 162
Free radical induced injury, in isolated ischaemia, 58
Free radicals, exogenous oxygen derived, effects on microcirculation and arrhythmias, dog, 1181

GABA turnover, decreased hypothalamic and medullary, SHR, 261
Gi-alpha protein, in failing human heart with dilated cardiomyopathy, increase in functional activity, 950
Glibenclamide
in blockade of ischaemic preconditioning, dogs, 1054
effects on ventricular arrhythmias and cardiac function in ischaemia and reperfusion, isolated rat heart, 1069: *correspondence*, 1154
ischaemia and cardioplegia, 1063
Global ischaemia, model, to study syncytial mechanisms of arrhythmogenesis, 309
Glucose, effect on lipid peroxidation and cell death, rat, 133
Glucose-insulin-potassium does not change heterogeneous distribution of coronary blood flow, dog, 757
Glutathione disulphide, effect on lipid peroxidation and cell death, rat, 133
Glycolytic substrate, ischaemic preconditioning and reperfusion, rabbit, 1195: *correspondence*, 1226
Gs mediated signal transduction, and oxygen free radical injury, stunned myocardium, pig, 449

Heart, developmental changes in energy substrate use: *review article*, 1172
Heart cells, *see* Myocytes, cardiac
Heart failure
chronic, tissue noradrenaline regulation in myocardial infarction model, rat, 933
experimental, evolving, left ventricular contractility and relaxation, evaluation, dog, 362
haemodynamic and neurohumoral response produced by rapid ventricular pacing, 783
imipramine induced, dog, 804
mechanisms of ventricular arrhythmias: *viewpoint*, 740
rapid pacing: *invited letter*, 815
Heart rate variability, neural regulation, endurance athletes and sedentary controls, 713
Heat stress, whole body, fails to limit infarct size in reperfused rabbit heart, 342
Holmium:YAG laser, pulsed, effects on atherosclerotic coronary arteries and aorta, 994
Holter monitoring in cardiac hyypertrophy and senescence, rats, 698

Hyperkinesis, compensatory subendocardial, abolished during coronary insufficiency outside an acutely ischaemic region, cat, 285
Hypertension
arterial, reactive and reparative myocardial fibrosis, rat, 671
molecular correlates, rat, 878
Hypertonicity, effect on contractility, left ventricle, rat, 379
Hypertrophy
cardiac
contractile proteins in, guinea pig, 153
experimental, and spontaneous arrhythmias, rat, 698
functional changes in right and left ventricle, 845
mechanisms of ventricular arrhythmias: *viewpoint*, 740
Hypoperfusion, myocardial, during exercise and coronary artery stenosis, thromboxane A2 mimetic U46619 worsens, dog, 351
Hypoxia/hypercapnia, response by release of ATP from erythrocytes, 40
Hypoxic preconditioning of ischaemic canine myocardium, 534: *invited letter*, 556
Hypoxic pulmonary vasoconstriction, stimulus-response curves, piglets, 944

Imipramine induced heart failure, dog, 804
Infarct size
ischaemic preconditioning limiting, rat heart, 983
unlimited by whole body heat stress, reperfused rabbit heart, 342
Inotropic agents, myocardial contractile response, developmental changes, 3
Internal mammary artery
organ culture, intimal proliferation, 1189
and saphenous vein, comparison of cyclic GMP, implication for coronary artery bypass graft patency, 297
Iron, availability, and reperfusion injury, rat, 58
Ischaemia
and cardioplegia, effects of potassium channel modulation, rat, 1063
effects of diltiazem and noradrenaline on extracellular potassium changes, 1040
effects of intracoronary saralasin on cardiac arrhythmias, dog, 968
and glibenclamide, rat, 1069: *correspondence*, 1154
global, model, to study syncytial mechanisms of arrhythmogenesis, 309
influence on cardiac A2 adenosine receptors, 549
myocardial
deleterious cardiac effects of captopril during, in dog, 232
effects of opiate agonist and antagonist, 392
evaluation of reperfusion strategy, recovery of function and energy metabolism, 502
progressive, effects on systolic function, diastolic dysfunction, and load dependent relaxation, 422
and reperfusion, peptide leukotriene receptor antagonism, 1206
role of ATP dependent potassium channels: *review article*, 1011
possible role for calcium antagonists, and myocardial stunning, 14: *correspondence*, 82
regional, effects on endothelium dependent coronary relaxation, dog, 250
subendocardial, decreased aortic compliance aggravates, dogs with stenosed coronary artery, 1212
see also Coronary occlusion
Ischaemic cardiac tissue, K_{ATP} channel modulation, 1030
Ischaemic damage, reduced by endothelium bound extracellular superoxide dismutase type C, 347
Ischaemic heart disease, and evolution of ATP sensitive potassium channel in the myocardium: *commentary*, 1153
Ischaemic myocardium
hypoxic preconditioning, dog, 534: *invited letter*, 556
reperfusion arrhythmias after chronic regional denervation, pigs, 962
Ischaemic preconditioning
cardioprotective effects, not mediated by prostanoids, 226
from mechanisms to exploitation: *short review*, 734
is not dependent on neutrophils or glycolytic substrate at reperfusion, rabbit heart, 1195: *correspondence*, 1226
limits infarct size, rat heart, 983
and myocardial infarct size limitation, role of adenosine receptor activation, 456
Ischaemically injured canine myocardium, enhancement of postischaemic hypercontraction, 337

Isoprenaline, and ouabain, effects on cytosolic calcium and cell motion, rat, 179
Isovolumetric bulging, and wasted ejection shortening, in stunned myocardium, dog heart, 115
Isovolumetric relaxation, improved, in canine reperfused myocardium after beta-1 adrenergic stimulation, 273

Kininogenases, acid optimum, in myocardium and aorta, dog, 367

Lasers, holmium:YAG, effect on atherosclerotic coronary arteries and aorta, 994
Left ventricle
  effect of supranormal coronary blood flow on energy metabolism and systolic function, 1001
  ejection fraction, dietary fat modulation due to enhanced filling, marmoset, 871
  end diastolic pressure-length strain relations, effects of exercise stress, dogs, 770
  function, and left atrial pressure and early diastolic filling, 109
  functional changes during development of cardiac hypertrophy, 845
  hypertrophy, in canine model of reversible pressure overload, 580
  relaxation, afterload dependent prolongation, importance of asynchrony, 631
  systolic pressure increase, effect on ventricular arrhythmogenicity, old canine myocardial infarction, 988
Lemakalim, anti-ischaemic properties, and cardioplegia, 1063
Leukotriene, peptide, receptor antagonism, in myocardial ischaemia and reperfusion, 1206
Lignocaine, antiarrhythmic and electrophysiological effects, anaesthetised rats, 1116
Lipids, serum, and plasma platelet activating factor degradation, after coronary bypass surgery, 25
Load dependent relaxation, effects of progressive myocardial ischaemia, 422

Mannitol, failure to reduce myocardial infarct size, baboon, 893
Mean circulatory filling pressure, effects of drugs on body venous tone as reflected by: *short review*, 443
Mechanical restitution of isolated human ventricular myocardium subjected to in vivo pressure and volume overload, 978
Membrane resistance, pacemaker current, and K^+ in sheep cardiac Purkinje fibres, 383
Microembolisation, effects of adenosine on cardiac performance and phosphate compounds, 851
Mitochondrial dysfunction observed in situ in diabetic cardiomyocytes, rats, 409
Monocarboxylates, and ATP sensitive potassium channel regulation, 1077
Monocrotaline, changes in ventricular 1, 2-diacylglycerol content following treatment, 626
Monophasic action potential, effects of intravenous amiodarone, 571
Muscle, pulmonary, cardiac, skeletal, in acute hypertension induced by aortic constriction, protein synthesis, rat, 72
Myocardial
  calcium loading, of sarcoplasmic reticulum, rat, 865
  capillary permeability, effect of 5-aminosalicyclic acid, after ischaemia and reperfusion, 798
  contractile response, to inotropic agents, developmental changes, 3
  contrast echocardiography, use to determine coronary flow reserve, 32
  fibrosis, reactive and reparative, in arterial hypertension, rat, 671
  infarct size
  effects of reperfusion and superoxide dismutase, pig, 170
  failure of mannitol to reduce, baboon, 893
  limitation by ischaemic preconditioning, role of adenosine receptor activation, 456
  and regional blood flow, effect of WEB 2086, dog, 126
  infarction
  acute, onset, circadian variation and triggers: *review article*, 831
  old canine, effect of left ventricular systolic pressure increase on ventricular arrhythmogenicity, 988
  tissue noradrenaline regulation, chronic heart failure, rat, 933
  ischaemia, *see* Ischaemia, myocardial
  oxygen consumption, mechanical determinants, with special reference to external work and efficiency, 886
  oxygen requirements, during experimental cardiopulmonary resuscitation, 791
  protection, by ischaemic preconditioning, from mechanisms to exploitation: *short review*, 734
  regional interaction, and contraction patterns, 476
  reperfusion injury, and oxygen free radicals: *masterclass*, 641
Myocardial stunning, oxygen free radical injury and Gs mediated signal transduction, pig, 449
Myocardium, acid optimum kininogenases, dog, 367
Myocytes
  cardiac
  cumene hydroperoxide induced calcium changes, 706
  effect of antiarrhythmic drugs on choline uptake, 67
  single right ventricular hypertrophied, L type calcium current, ferret heart, 662
  oxidative stress produced by cumene hydroperoxide, protection against, rat, 133
  ventricular, 2, 4-dinitrophenol induced ATP sensitive potassium current blockade by class I antiarrhythmic drugs, guinea pig, 1095

Naloxone, and U50,488H, effects in myocardial ischaemia, 392
Neural regulation of heart rate variability in endurance athletes and sedentary controls, 713
Neuroganglionitis, and cardiac autonomic dysfunction, Chaga's disease, rat model, 324
Neutrophil dependent increases in coronary resistance, inhibited by WEB, 2086, 162
Neutrophils, ischaemic preconditioning and reperfusion, rabbit, 1195: *correspondence*, 1226
Nifedipine, and diltiazem, oral, effects on coronary artery thrombus, (NZWxBXSB)F1 male mice, 586
Nitric oxide
  and coronary vascular tone regulation: *correspondence*, 555
  does not mediate flow induced endothelium dependent arterial dilatation, cat, 256
  in endotoxin shock, 48: *correspondence*, 558
  exogenous, inhibits in vivo platelet adhesion following balloon angioplasty, 615
  inhibitors compared in canine femoral circulation, 357
  synthesis, in regulation of coronary vascular tone, isolated perfused rabbit heart, 508
Noradrenaline
  diltiazem, and extracellular potassium changes, ischaemic rat heart, 1040
  tissue, regulation in myocardial infarction model, chronic heart failure, rat, 933
Notices, 86, 300, 431

Opiate agonist (U50,488H) and antagonist (naloxone), effects in myocardial ischaemia, 392
Ouabain, and isoprenaline, effects on cytosolic calcium and cell motion, rat, 179
Oxygen free radicals
  injury, and Gs mediated signal transduction, stunned myocardium, pig, 449
  and myocardial reperfusion injury: *masterclass*, 641
Oxygen, myocardial requirements during experimental cardiopulmonary resuscitation, 791

Pacemaker current, membrane resistance, and K^+ in sheep cardiac Purkinje fibres, 383
Pacing
  rapid, heart failure: *invited letter*, 815
  ventricular, rapid, producing haemodynamic and neurohumoral response in heart failure, 783
Pain, not evoked by adenosine, 186
Papillary muscles, mechanical restitution during alternans, guinea pig, 779
Penticainide, antiarrhythmic and electrophysiological effects, anaesthetised rats, 1116
Peptide leukotriene receptor antagonism in myocardial ischaemia and reperfusion, 1206
Platelet activating factor, plasma, degradation, and serum lipids, after coronary bypass surgery, 25
Platelet adhesion, in vivo, following balloon angioplasty, exogenous nitric oxide inhibits, 615
Polyethylene glycol conjugated superoxide dismutase, effect on coxsackievirus B3 myocarditis, mice, 956
Polymorphonuclear leucocytes, variable effects on vascular smooth muscle tone, 751
Positive end expiratory pressure, and cardiac tamponade, differential effects on left-right ventricular mechanical function, dog, 148
Postischaemic contractile function, effects of intracoronary cromakalim, 1046

Postischaemic hypercontraction, enhanced in ischaemically injured canine myocardium, 337
Potassium, pacemaker current, and membrane resistance, in sheep cardiac Purkinje fibres, 383
Potassium changes, extracellular, diltiazem and noradrenaline, ischaemic rat heart, 1040
Potassium channels
  activator, cromakalim, effects on postischaemic contractile function and action potential duration, 1046
  ATP dependent, *see* Adenosine triphosphate dependent potassium channels
  ATP sensitive, *see* Adenosine triphosphate sensitive potassium channels
  introduction to special issue: *editorial*, 1010
  modulation, effects during global ischaemia in isolated rat heart with and without cardioplegia, 1063
  role in cycle length dependent regulation of action potential duration in mammalian cardiac Purkinje and ventricular muscle fibres, 1021
Potassium currents, differential inhibition in ventricular myocytes by capsaicin, rat, 1137
Preconditioning
  antiarrhythmic effects, anaesthetised dogs and rats, 487
  ischaemic, *see* Ischaemic preconditioning
Premature beat, 89; *correspondence*, 431, 720
Pressure overload, reversible, left ventricular hypertrophy, dog, 580
Priority, eponyms, and attribution: *commentary*, 1170
Proliferation, intimal, in an organ culture of human internal mammary artery, 1189
Prostacyclin release from endothelial cells, bovine, 513
Prostanoids, not mediating cardioprotective effects of ischaemic preconditioning, 226
Protein synthesis, during aortic constriction, rat, 72
"Publishers' dawdle", a case for treatment: *editorial*, 1
Pulmonary artery compliance, role in right ventricular-arterial coupling, 839
Pulmonary fibrosis, haemodynamic sequelae following intratracheal-bleomycin, rats, 401
Purkinje fibre-papillary muscle interaction, in genesis of triggered activity, guinea pig, 543
Purkinje fibres
  cardiac, pacemaker current, membrane resistance, and K^+ in, sheep, 383
  potassium channels and action potential duration, 1021

Quinidine, differential effects on delayed rectifier current in ventricular myocytes, guinea pig, 1145: correction, 1229

Recainam, flecainide and encainide compared, for effects on cardiac delayed rectifier current, 1121
Reflow, rate, and reperfusion induced arrhythmias, studies with dual coronary perfusion, 316
Relaxation and contractility, left ventricular, evaluation in evolving canine experimental heart failure, 362
Renal artery stenosis, unsaturated fat diet prevents increased angiotensin II vascular responses, 973
Reperfusion
  arrhythmias, after chronic regional denervation of the ischaemic myocardium, pigs, 962
  damage, reduced by endothelium bound extracellular superoxide dismutase type C, 347
  effects of intracoronary saralasin on cardiac arrhythmias, dog, 968
  and glibenclamide, rat, 1069: *correspondence*, 1154
  induced arrhythmias, and rate of reflow, studies with dual coronary perfusion, 316
  induced injury, manifestations, mechanisms, clinical relevance, 101
  injury and iron availability, rat, 58
  laboratory phenomenon or clinical reality: *clinical perspective*, 656: reply and response, 660
  and ischaemic preconditioning, dependence on neutrophils or glycolytic substrate, rabbit, 1195: *correspondence*, 1226
  myocardial, injury, and oxygen free radicals: *masterclass*, 641
  and myocardial ischaemia, peptide leukotriene receptor antagonism, 1206
  possible role for calcium antagonists, and myocardial stunning, 20
  strategy, evaluation for globally ischaemic rat heart, recovery of function and energy metabolism, 502
  and superoxide dismutase, effect on myocardial infarct size, pig, 170
  transient, with various Ca^{2+} concentrations, after ischaemia, 687
Repolarisation
  atrial and ventricular, effect of intravenous adenosine, 939
  pacing induced heterogeneity, dofetilide reduces, dog, 1102
Review processes, editorial reflections: *editorial*, 1161
Right ventricle
  functional changes during development of cardiac hypertrophy, 845
  single hypertrophied cardiomyocytes, L type calcium current, ferret heart, 662
Right ventricular-arterial coupling, role of pulmonary artery compliance, 839

S-adenosylhomocysteine hydrolase activity, human myocardium, 143
Saralasin, intracoronary administration, effects on cardiac arrhythmias induced by ischaemia and reperfusion, anaesthetised dog, 968
Sarcoplasmic reticulum
  Ca^{2+} release, heart, spontaneous, functional implications: *leading article*, 193
  twitch characteristics and Ca^{2+} loading altered by myocardial stretch, rat, 865
Serotonin receptor, platelet, dispersion of coronary artery thrombi by antagonism, dog, 292
Sicilian Gambit
  and antiarrhythmic drug development: *viewpoint*, 562
  antiarrhythmic drug classification, re-evaluation: *editorial*, 561
  reasons for maintaining present antiarrhythmic drug classification: *viewpoint*, 566
  response to Drs Colatsky and Harrison: *counterpoint*, 568
Sinoatrial node, effect of transmural vagal stimulation on electrotonic current spread, rabbit, 678
Skinned cardiac muscle fibres, acute effects of doxorubicin, guinea pigs, 371
Sodium, intracellular, in cardiac cells, fuzzy subsarcolemmal space for: *masterclass*, 433
Sodium 5-hydroxydecanoate, in blockade of ischaemic preconditioning, dogs, 1054
Sodium, and taurine, intracellular, interdependence, guinea pig heart, 897
Sodium channel states control binding and unbinding behaviour of antiarrhythmics, guinea pig, 1199
Spontaneously hypertensive rats, vascular atrial natriuretic factor receptors, 857
Stimulus-response curves for hypoxic pulmonary vasoconstriction, piglets, 944
Stroke volume during rapid atrial pacing and volume loading, echocardiographic determination, rats, 765
Stunned myocardium, contraction, isovolumetric bulging and wasted ejection shortening, dog heart, 115
Stunning
  myocardial
  possible role for calcium antagonists during ischaemia, 14: *correspondence*, 82
  possible role for calcium antagonists during reperfusion, 20
Subsarcolemmal space, fuzzy, for intracellular Na^+ in cardiac cells: *masterclass*, 433
Superoxide dismutase
  polyethylene glycol conjugated, effect on coxsackievirus B3 myocarditis, mice, 956
  and reperfusion, effect on myocardial infarct size, pig, 170
Systolic function
  effect of supranormal coronary blood flow, porcine left ventricle, 1001
  effects of progressive myocardial ischaemia, 422

Tamponade, and PEEP, differential effects on left-right ventricular mechanical function, dog, 148
Taurine, and sodium, intracellular, interdependence, guinea pig heart, 897
Thrombi, coronary artery, dispersion by antagonism of platelet serotonin receptor, dog, 292
Thromboxane A2 mimetic U46619, worsens canine myocardial hypoperfusion during exercise and coronary artery stenosis, 351
Thromboxane receptors, endothelial, and release of prostacyclin and EDRF, 513
Thyroid hormone, and regression of cardiac fibrosis, 603
Tissue noradrenaline, regulation in myocardial infarction model, chronic heart failure, rat, 933
Triggered activity, genesis, Purkinje fibre-papillary muscle interaction, guinea pig, 543

Trolox-C, effect on lipid peroxidation and cell death, rat, 133
Trypsin, delayed rectifier current insensitivity, guinea pig, 1131

U46619, worsens canine myocardial hypoperfusion during exercise and coronary artery stenosis, 351
U50,488H, and naloxone, effects in myocardial ischaemia, 392
Unsaturated fat diet prevents increased angiotensin II vascular responses in renal artery stenosis, 973

Vagal stimulation, transmural, effect on electrotonic current spread, sinoatrial node, rabbit, 678
Vascular atrial natriuretic factor receptors, in spontaneously hypertensive rats, 857
Vascular smooth muscle tone, variable effects of polymorphonuclear leucocytes, 751
Vascular tone, ventricular, effects of exogenous oxygen derived free radicals, dog, 1181
Vaughan-Williams class Ia antiarrhythmics, in comparative studies of ATP sensitive potassium channels in heart and pancreatic β cells, 1087
Ventricle, ventricular
  arrhythmias, in cardiac failure and hypertrophy, mechanisms: *viewpoint*, 740
  arrhythmogenicity, in old canine myocardial infarction, effect of left ventricular systolic pressure increase, 988
  function, enhanced by buflomedil pretreatment, 470
  left, *see* Left ventricle
  left-right mechanical function in PEEP and tamponade, 148
  muscle fibres, potassium channels and action potential duration, 1021
  myocardium, isolated human, subjected to in vivo pressure and volume overload, mechanical restitution, 978
  myocytes, differential inhibition of potassium currents by capsaicin, rat, 1137
  pacing, rapid, producing haemodynamic and neurohumoral response in heart failure, 783
  right, *see* Right ventricle
  right and left, functional changes during development of cardiac hypertrophy, 845
  tachycardia, monomorphic, local activation variability during, dog, 237

Wall thickening, left and right, effect of left anterior descending coronary occlusion, 221
WEB 2086
  effect on myocardial infarct size and regional blood flow, dog, 126
  inhibits neutrophil dependent increases in coronary resistance in blood perfused rabbit heart, 162
Wolff-Parkinson-White syndrome, and incorrect attribution as sources, did they mind their Ps and Qs: *editorial*, 1164